

SAFETY DATA SHEET

1. Identification

Product identifier 2-BUTOXYETHANOL, 99%

Other means of identification

Product code 5414

Synonyms Butyl cellosolve * EGBE * BUTYL GLYCOL * ETHYLENE GLYCOL MONOBUTYL ETHER

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameGFS Chemicals, Inc.AddressP.O. Box 245Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

E-mail service@grschemicals.cor **Emergency phone** Emergency Assistance

number

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 4Acute toxicity, dermalCategory 3Acute toxicity, inhalationCategory 2Skin corrosion/irritationCategory 2Serious eye damage/eye irritationCategory 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Combustible liquid. Harmful if swallowed. Toxic in contact with skin. Causes skin irritation. Causes

serious eye irritation. Fatal if inhaled.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a

well-ventilated area. Wear protective gloves/eye protection/face protection. Wear respiratory

Chemtrec 800-424-9300

protection.

Response If inhaled: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair):

Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash before

reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store away from

incompatible materials.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Material name: 2-BUTOXYETHANOL, 99%

5414 Version #: 01 Revision date: Issue date: July-23-2015 1 / 8

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
2-BUTOXYETHANOL	Butyl cellosolve EGBE	111-76-2	100
	BUTYL GLYCOL		
	ETHYLENE GLYCOL MONOBUTYL ETHER		

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Take off immediately all contaminated clothing. Wash with plenty of soap and water. Get medica Skin contact

advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. **Ingestion**

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Irritation of nose and throat. Skin irritation. May cause

redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Water. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

The product is combustible, and heating may generate vapors which may form explosive vapor/aii

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Combustible liquid.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

5414 Version #: 01 Revision date: Issue date: July-23-2015 2/8

Material name: 2-BUTOXYETHANOL, 99%

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Should not be released into the environment.

Large Spills: Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. This material and its container must be disposed of as hazardous waste.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Never return spills in original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (2	29 CFR 1910.1000)
---	-------------------

Material	Туре	Value	
2-BUTOXYETHANOL (CAS 111-76-2)	PEL	240 mg/m3	
		50 ppm	
US. ACGIH Threshold Limit Value	ues		
Material	Туре	Value	
2-BUTOXYETHANOL (CAS 111-76-2)	TWA	20 ppm	
US. NIOSH: Pocket Guide to Chemical Hazards			
Material	Туре	Value	
2-BUTOXYETHANOL (CAS 111-76-2)	TWA	24 mg/m3	
-		5 ppm	

Biological limit values

US. ACGIH. BEIs.	Biological Exposure Indices
Material	Value

Material	Value	Determinant	Specimen	Sampling Time
2-BUTOXYETHANOL (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - Tennessee OELs: Skin designation

2-BUTOXYETHANOL (CAS 111-76-2) Can be absorbed through the skin.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

2-BUTOXYETHANOL (EGBE) (CAS 111-76-2) Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

2-BUTOXYETHANOL (CAS 111-76-2) Skin designation applies.

US. NIOSH: Pocket Guide to Chemical Hazards

2-BUTOXYETHANOL (CAS 111-76-2) Can be absorbed through the skin.

5414 Version #: 01 Revision date: Issue date: July-23-2015 3 / 8

Material name: 2-BUTOXYETHANOL, 99%

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-BUTOXYETHANOL (CAS 111-76-2)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece. **Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Colorless.

Odor Mild. Ether-like.
Odor threshold Not available.
PH Not available.

Melting point/freezing point -102.64 °F (-74.8 °C)

Initial boiling point and 335.12 °F (168.4 °C)

boiling range

333.12 . (1001. 0)

Flash point 143.0 °F (61.7 °C) Closed Cup 156.9 °F (69.4 °C) Open Cup

Evaporation rateNot available. **Flammability (solid, gas)**Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

> 1.1 %

(%)

Flammability limit -

upper (%)

< 12.7 %

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure 0.12 kPa at 25 °C

Vapor density 4.1

Material name: 2-BUTOXYETHANOL, 99%

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible
Partition coefficient 0.8
(n-octanol/water)

Auto-ignition temperature460.4 °F (238 °C)Decomposition temperatureNot available.ViscosityNot available.

Other information

Density0.901 g/cm3 estimated at 20 °CFlammability classCombustible IIIA estimated

Flash point class Combustible IIIA

5414 Version #: 01 Revision date: Issue date: July-23-2015 4 / 8

Heat of combustion

(NFPA 30B)

29.6 kJ/g

100 %

Molecular formulaC6-H14-O2Molecular weight118.2 g/molPercent volatile100 %Specific gravity0.9 at 20 °C

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability
Possibility of hazardous

VOC (Weight %)

Possibility of hazar reactions

Material is stable under normal conditions. Hazardous polymerization does not occur.

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash

point. Contact with incompatible materials.

Strong oxidizing agents. Strong bases.

Incompatible materials

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Toxic in contact with skin. Causes skin irritation.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Irritation of nose and throat. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Toxic in contact with skin. Harmful if swallowed.

Product Species Test Results

2-BUTOXYETHANOL (CAS 111-76-2)

Dermal

LD50 Rabbit 400 mg/kg

Inhalation

LC50 Mouse 700 mg/l, 7 Hours

700 ppm, 7 Hours

Rat 486 mg/l, 4 Hours

450 mg/l, 4 Hours

450 ppm, 4 Hours

Oral

LD50 Guinea pig 1.2 g/kg

Mouse 1519 mg/kg

1.2 g/kg
Rabbit 0.32 g/kg
Rat 560 mg/kg

1.48 g/kg

Other

LD50 Mouse 1130 mg/kg

Rabbit 280 mg/kg

Material name: 2-BUTOXYETHANOL, 99%

5414 Version #: 01 Revision date: Issue date: July-23-2015 5 / 8

ProductSpeciesTest ResultsRat550 mg/kg340 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritationCauses skin irritation. **Serious eye damage/eye**Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

2-BUTOXYETHANOL (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
2-BUTOXYETHANOL (CAS 111-76-2)			
Aquatic			
Crustacea	LC50	Brine shrimp (Artemia salina)	1000 mg/l, 24 hours
		Common shrimp, sand shrimp (Crangon crangon)	600 - 1000 mg/l, 48 hours
			550 - 950 mg/l, 96 hours
		Water flea (Daphnia magna)	1720 mg/l, 24 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	1490 mg/l, 96 hours
		Carp (Leuciscus idus melanotus)	1575 mg/l, 48 hours
			1395 mg/l, 48 hours
		Goldfish (Carassius auratus)	1700 mg/l, 24 hours
		Inland silverside (Menidia beryllina)	1250 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

0.83

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

5414 Version #: 01 Revision date: Issue date: July-23-2015 6 / 8

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

14. Transport information

DOT

Not regulated as dangerous goods.

ΤΔΤΔ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-BUTOXYETHANOL (CAS 111-76-2)

Listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	% by wt.	
2-BUTOXYETHANOI	111-76-2	100		

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

US. Massachusetts RTK - Substance List

2-BUTOXYETHANOL (CAS 111-76-2)

5414 Version #: 01 Revision date: Issue date: July-23-2015 7/8

Material name: 2-BUTOXYETHANOL, 99%

US. New Jersey Worker and Community Right-to-Know Act

2-BUTOXYETHANOL (CAS 111-76-2)

US. Pennsylvania Worker and Community Right-to-Know Law

2-BUTOXYETHANOL (CAS 111-76-2)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date July-23-2015

Version # 01

Material name: 2-BUTOXYETHANOL, 99%

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision Information Product and Company Identification: Synonyms

Hazards Identification: Shared US and Canadian Categories Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States

5414 Version #: 01 Revision date: Issue date: July-23-2015 8 / 8