

SAFETY DATA SHEET

1. Identification

Product identifier ACETIC ACID SOLUTION, 20% V/V

Other means of identification

Product code 2004

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Websitewww.gfschemicals.comE-mailservice@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wear protective gloves/eye protection/face protection. Wash thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	79.2
ACETIC ACID	GLACIAL ACETIC ACID ETHANOIC ACID	64-19-7	20.8

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Material name: ACETIC ACID SOLUTION, 20% V/V

2004 Version #: 01 Revision date: Issue date: October-15-2015 1 / 8

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes, Avoid contact with eyes, skin, and clothing, Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

2/8

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
ACETIC ACID (CAS 64-19-7)	PEL	25 mg/m3 10 ppm

Material name: ACETIC ACID SOLUTION, 20% V/V 2004 Version #: 01 Revision date: Issue date: October-15-2015 **US. ACGIH Threshold Limit Values Value** Components **Type** ACETIC ACID (CAS 64-19-7) **STEL** 15 ppm 10 ppm TWA **US. NIOSH: Pocket Guide to Chemical Hazards Value** Components **Type** ACETIC ACID (CAS 64-19-7) **STEL** 37 mg/m3 15 ppm

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

25 mg/m3 10 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

TWA

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Colorless.

Odor Pungent Vinegar-like.

Odor thresholdNot available.pHNot available.

Melting point/freezing point
Initial boiling point and

boiling range

38 °F (3 °C) estimated

219 °F (104 °C) estimated

Not available.

Flash point

Not available.

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure 4.35 hPa estimated

Vapor density 2.07

Relative density Not available.

Solubility(ies)

Solubility (water) Miscible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 798.8 °F (426 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Material name: ACETIC ACID SOLUTION, 20% V/V

2004 Version #: 01 Revision date: Issue date: October-15-2015 3 / 8

Other information

Density 1.02 g/cm3 **Percent volatile** 100 % estimated

Specific gravity 1.02

VOC (Weight %) 20.8 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness

and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
ACETIC ACID SOLUTION, 20	% V/V (CAS Mixture)	
Acute		
Dermal		
LD50	Rabbit	5096.1538 mg/kg estimated
Inhalation		
LC50	Guinea pig	25000 mg/l
		24038.4609 mg/l, 1 Hours estimated
	Mouse	27019.2305 mg/l, 1 Hours estimated
		25000 mg/l
	Rat	54.8077 mg/l, 4 Hours estimated
Oral		
LD50	Mouse	23846.1543 mg/kg estimated
	Rabbit	5769.231 mg/kg estimated
	Rat	15.9135 g/kg estimated
Other		
LD50	Mouse	2524.0386 mg/kg estimated
	Rabbit	5769.231 mg/kg estimated
Components	Species	Test Results
ACETIC ACID (CAS 64-19-7)		
Acute		
Dermal		
LD50	Rabbit	1060 mg/kg
Inhalation		
LC50	Guinea pig	5000 mg/l, 1 Hours
	Mouse	5620 mg/l, 1 Hours
	Rat	11.4 mg/l, 4 Hours

Material name: ACETIC ACID SOLUTION, 20% V/V

2004 Version #: 01 Revision date: Issue date: October-15-2015 4 / 8

Components	Species	Test Results	
Oral			
LD50	Mouse	4960 mg/kg	
	Rabbit	1200 mg/kg	
	Rat	3.53 g/kg	
		3.31 g/kg	
Other			
LD50	Mouse	525 mg/kg	
	Rabbit	1200 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
ACETIC ACID SOLUTI	ON, 20% V/V (CAS	Mixture)		
Aquatic				
Crustacea	EC50	Daphnia	1354.1666 mg/l, 48 hours estimated	
Fish	LC50	Fish	592.5481 mg/l, 96 hours estimated	
Components		Species	Test Results	
ACETIC ACID (CAS 64	l-19-7)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	75 mg/l, 96 hours	

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

ACETIC ACID -0.17

Mobility in soil No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: ACETIC ACID SOLUTION, 20% V/V

2004 Version #: 01 Revision date: Issue date: October-15-2015 5 / 8

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

IB3, T4, TP1

14. Transport information

DOT

UN number UN2790

UN proper shipping name Transport hazard class(es) Acetic acid solution, with more than 10 percent and less than 50 percent acid, by mass

Class 8 **Subsidiary risk** 8 Label(s) **Packing group** TTT

Special precautions for

Special provisions

user

Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions 154 Packaging non bulk 203 **Packaging bulk** 242

IATA

UN number UN2790

UN proper shipping name Acetic acid solution more than 10% but less than 50% acid, by weight

Transport hazard class(es) Class 8 **Subsidiary risk Packing group** III**Environmental hazards** No. **ERG Code**

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Other information

Allowed.

Cargo aircraft only

Allowed.

III

IMDG

UN2790 **UN** number

UN proper shipping name ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass

Transport hazard class(es) Class 8 **Subsidiary risk**

Packing group Environmental hazards

Marine pollutant No. **EmS** F-A, S-B

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established.

Material name: ACETIC ACID SOLUTION, 20% V/V

Annex II of MARPOL 73/78

and the IBC Code

2004 Version #: 01 Revision date: Issue date: October-15-2015 6/8



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ACETIC ACID (CAS 64-19-7)

Listed.

SARA 304 Emergency release notification

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

ACETIC ACID (CAS 64-19-7)

US. New Jersey Worker and Community Right-to-Know Act

ACETIC ACID (CAS 64-19-7)

US. Pennsylvania Worker and Community Right-to-Know Law

ACETIC ACID (CAS 64-19-7)

2004 Version #: 01 Revision date: Issue date: October-15-2015 7 / 8

US. Rhode Island RTK

ACETIC ACID (CAS 64-19-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date October-15-2015

Version # 01

Material name: ACETIC ACID SOLUTION, 20% V/V

United States & Puerto Rico

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Yes

sheet was written based on the best knowledge and experience currently available.

Revision Information Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

Toxic Substances Control Act (TSCA) Inventory

Transport Information: Proper Shipping Name/Packing Group

GHS: Classification

2004 Version #: 01 Revision date: Issue date: October-15-2015 8 / 8