

# SAFETY DATA SHEET

#### 1. Identification

Product identifier ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

Other means of identification

Product code 5563 CAS number 75-05-8

Synonyms ETHANE NITRILE \* METHYL CYANIDE \* CYANOMETHANE

**Recommended use** professional, scientific and technical activities: other professional, scientific and technical activities,

solvent technical function of substance

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company name**Address
P.O. Box 245
Powell, OH 43065

United States

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance

number

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, oralCategory 3Acute toxicity, dermalCategory 3

Acute toxicity, inhalation Category 3
Serious eye damage/eye irritation Category 2A

Chemtrec 800-424-9300

**Environmental hazards** Not classified. **OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious

eye irritation. Toxic if inhaled.

**Precautionary statement** 

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary

measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection.

**Response** IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. If on

skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case

of fire: Use appropriate media to extinguish.

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

5563 Version #: 01 Revision date: Issue date: March-15-2017 1 / 10

**Storage** Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store

contents under inert gas.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)
Supplemental information

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

None.

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%	
ACETONITRILE	ETHANE NITRILE	75-05-8	100	
	METHYL CYANIDE			
	CYANOMETHANE			

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

**Skin contact**Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without

advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

redness, swelling, and blurred vision.

**Most important** 

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

medical attention and special treatment needed

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing,

Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide,

sand or earth may be used for small fires only.

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Do not use water jet as an extinguisher, as this will spread the fire.

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods
General fire hazards

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Wear SCBA.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapor.

to health may be formed.

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

5563 Version #: 01 Revision date: Issue date: March-15-2017 2 / 10

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

# Methods and materials for containment and cleaning up

Stop leak if you can do so without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This product is miscible in water. Should not be released into the environment. Clean up in accordance with all applicable regulations.

Large Spills: Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

#### **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

#### **Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

# Conditions for safe storage, including any incompatibilities

Material should be stored under an inert atmosphere. Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	r Air Contaminants (29 CFR 19 Type	Value	
ACETONITRILE (CAS 75-05-8)	PEL	70 mg/m3	
,		40 ppm	

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

5563 Version #: 01 Revision date: Issue date: March-15-2017 3 / 10

**US. ACGIH Threshold Limit Values** 

MaterialTypeValueACETONITRILE (CAS<br/>75-05-8)TWA20 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards** 

MaterialTypeValueACETONITRILE (CAS 75-05-8)TWA 34 mg/m3

20 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US ACGIH Threshold Limit Values: Skin designation** 

ACETONITRILE (CAS 75-05-8)

Can be absorbed through the skin.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

ACETONITRILE (CAS 75-05-8)

Can be absorbed through the skin.

US. Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

ACETONITRILE (CAS 75-05-8) Skin designation applies.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** Clear. Physical state Liquid. **Form** Liquid. Color Colorless. Aromatic. Odor **Odor threshold** Not available. Not available. рH -49 °F (-45 °C) Melting point/freezing point

Initial boiling point and

boiling range

178.88 °F (81.6 °C) 101.325 kPa

**Flash point** 55.0 °F (12.8 °C) Closed Cup

42.0 °F (5.6 °C) Open Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - 16 %

upper (%)

3 %

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

5563 Version #: 01 Revision date: Issue date: March-15-2017 4/10

**Explosive limit - lower** 

Not available.

(%)

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure 11.84 kPa at 25 °C

Vapor density 1.42

**Relative density** Not available.

Solubility(ies)

Solubility (water) Miscible **Partition coefficient** -0.34

(n-octanol/water)

**Auto-ignition temperature** 975.2 °F (524 °C) **Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

0.79 g/cm3 estimated at 15 °C **Density Dynamic viscosity** 0.35 mPa.s (68 °F (20 °C))

**Explosive properties** Not explosive.

Flammability class Flammable IB estimated

Flammable IB Flash point class

Kinematic viscosity 0.4446 mm<sup>2</sup>/s estimated

Molecular formula C2-H3-N Molecular weight 41.05 g/mol **Oxidizing properties** Not oxidizing.

100 % **Percent volatile** 

Specific gravity 0.79 at 15 °C

**Surface tension** 29.04 mN/m (68 °F (20 °C))

VOC 100 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash

point. Contact with incompatible materials.

**Incompatible materials** Strong acids. Strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon oxides.

#### 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Toxic if inhaled.

Skin contact Toxic in contact with skin. Eye contact Causes serious eve irritation.

Ingestion Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

#### Information on toxicological effects

**Acute toxicity** Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

**Product Species Test Results** 

ACETONITRILE (CAS 75-05-8)

**Acute** Dermal

Rabbit LD50 980 mg/kg

5563 Version #: 01 Revision date: Issue date: March-15-2017 5 / 10

Product	Species	Test Results	
		390 mg/kg	
Inhalation			
LC50	Guinea pig	5655 mg/l, 4 Hours	
	Mouse	2693 mg/l, 1 Hours	
	Rabbit	2825 mg/l, 4 Hours	
	Rat	7500 mg/l, 8 Hours	
		330 mg/l, 90 Days	
Oral			
LD50	Guinea pig	140 mg/kg	
	Mouse	269 mg/kg	
	Rat	200 mg/kg	
		175 mg/kg	
Other			
LD50	Rat	1680 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**US OSHA Hazard Categories (1)** 

Not regulated.

**US OSHA Hazard Categories (10)** 

Not regulated.

**US OSHA Hazard Categories (2)** 

Not regulated.

**US OSHA Hazard Categories (3)** 

Not regulated.

**US OSHA Hazard Categories (4)** 

Not regulated.

**US OSHA Hazard Categories (5)** 

Not regulated.

**US OSHA Hazard Categories (6)** 

Not regulated.

**US OSHA Hazard Categories (7)** 

Not regulated.

**US OSHA Hazard Categories (8)** 

Not regulated.

**US OSHA Hazard Categories (9)** 

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

**Reproductive toxicity** Possible reproductive effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

#### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Test Results Product Species** 

ACETONITRILE (CAS 75-05-8)

**Aquatic** 

Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Persistence and degradability None known.

**Bioaccumulative potential** 

Partition coefficient n-octanol / water (log Kow)

-0.34

Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

#### **US RCRA Hazardous Waste U List: Reference**

ACETONITRILE (CAS 75-05-8) U003

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

**UN number** UN1648 **UN** proper shipping name Acetonitrile

Transport hazard class(es)

3 Class **Subsidiary risk** Label(s) 3 **Packing group** 

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

IB2, T7, TP2 Special provisions

Packaging exceptions 150 Packaging non bulk 202 **Packaging bulk** 242

**IATA** 

UN1648 **UN number UN proper shipping name** Acetonitrile

Transport hazard class(es) Class 3 Subsidiary risk **Packing group** ΙΙ **Environmental hazards** No. **ERG Code** 31

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

5563 Version #: 01 Revision date: Issue date: March-15-2017 7 / 10

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Other information

**Passenger and cargo** Allowed with restrictions.

aircraft

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN1648 **UN proper shipping name** ACETONITRILE

Transport hazard class(es)

Class 3
Subsidiary risk Packing group II
Environmental hazards

**Special precautions for** Read safety instructions, SDS and emergency procedures before handling.

usei

**Transport in bulk according to** Not established.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



# 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ACETONITRILE (CAS 75-05-8) Listed.

**SARA 304 Emergency release notification** 

Not regulated.

**US OSHA Hazard Categories (1)** 

Not regulated.

**US OSHA Hazard Categories (2)** 

Not regulated.

**US OSHA Hazard Categories (3)** 

Not regulated.

**US OSHA Hazard Categories (4)** 

Not regulated.

**US OSHA Hazard Categories (5)** 

Not regulated.

**US OSHA Hazard Categories (6)** 

Not regulated.

**US OSHA Hazard Categories (7)** 

Not regulated.

**US OSHA Hazard Categories (8)** 

Not regulated.

**US OSHA Hazard Categories (9)** 

Not regulated.

**US OSHA Hazard Categories (10)** 

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ACETONITRILE	75-05-8	100

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

ACETONITRILE (CAS 75-05-8)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is

not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ACETONITRILE (CAS 75-05-8)

# **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

**Issue date** March-15-2017

Version # 01

Material name: ACETONITRILE, GRADIENT/LC-MS GRADE, VERITAS® ULTIMATE SOLVENT

5563 Version #: 01 Revision date: Issue date: March-15-2017 9 / 10

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**Disclaimer**GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.