

SAFETY DATA SHEET

1. Identification

Product identifier CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

Other means of identification

Product code 1234 CAS number 67-66-3

Synonyms TRICHLOROMETHANE

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
800 Kaderly Drive
Columbus, OH 43228

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, inhalation

Category 3

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2A

Carcinogenicity

Category 2

Reproductive toxicity

Specific target organ toxicity, repeated

Category 1

Chemtrec 800-424-9300

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Toxic if inhaled. Causes skin irritation. Causes serious eye irritation. Causes

damage to organs through prolonged or repeated exposure. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. Harmful to aquatic life. Harmful to aquatic life

with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Wear eye protection/face protection.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 1 / 9

Response IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash

with plenty of soap and water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER/doctor. Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing

and wash before reuse. If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. **Storage**

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
CHLOROFORM	TRICHLOROMETHANE	67-66-3	100

Stabilizers

Chemical name	Common name and synonyms	CAS number	%
1-PENTENE		109-67-1	<= 0.02

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician. Call a physician if

symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eve contact**

present and easy to do. Get medical attention if irritation develops or persists. Continue rinsing. Get

medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Dizziness. Headache. Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged

exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

None known.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do it without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED 1234 Version #: 04 2/9

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewers, basements or confined areas.

Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Clean contaminated surface thoroughly. This product is miscible in water. Should not be released into the environment. Clean up in accordance with all applicable regulations. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid prolonged exposure. Wash hands thoroughly after handling. Should be handled in closed systems, if possible. Observe good industrial hygiene practices. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	or Air Contaminants (29 CFR 19 Type	Value		
CHLOROFORM (CAS 67-66-3)	Ceiling	240 mg/m3		
		50 ppm		
US. ACGIH Threshold Limit Values				
Material	Туре	Value		
CHLOROFORM (CAS 67-66-3)	TWA	10 ppm		
US. NIOSH: Pocket Guide to	Chemical Hazards			
Material	Туре	Value		
CHLOROFORM (CAS 67-66-3)	STEL	9.78 mg/m3		
-		2 ppm		

Biological limit values Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended. Eye wash fountains are required.

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 3 / 9

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Provide eyewash station and safety shower.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Ether-like.
Odor threshold Not available.
pH Not available.

Melting point/freezing point
Initial boiling point and

boiling range

-82.14 °F (-63.41 °C) 142.11 °F (61.17 °C)

Flash point

Not available.

Evaporation rate

Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure 26.26 kPa (77 °F (25 °C))

Vapor density 4.12

Relative density Not available.

Solubility(ies)

Solubility (water) 5 g/l at 77°F

Partition coefficient 1.97

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperature437 °F (225 °C)ViscosityNot available.

Other information

Density 1.48 g/cm3 estimated at 20 °C **Dynamic viscosity** 0.51 mPa.s (86 °F (30 °C))

Explosive properties Not explosive.

Kinematic viscosity 0.3438 mm²/s estimated

Molecular formulaC-H-Cl3Molecular weight119.38 g/molOxidizing propertiesNot oxidizing.Percent volatile100 %

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 4 / 9

 ${\tt Material\ name:\ CHLOROFORM,\ VERITAS@\ ULTIMATE,\ HYDROCARBON\ STABILIZED}$

Specific gravity 1.48 at 20 °C

Surface tension 27.1 mN/m (68 °F (20 °C))

VOC 100 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. May decompose on long exposure to light.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Chlorine. Hydrogen chloride. Irritating and/or toxic fumes and gases may be emitted upon the

products product's decomposition. Phosgene.

11. Toxicological information

Information on likely routes of exposure

InhalationToxic if inhaled.Skin contactCauses skin irritation.Eye contactCauses serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dizziness. Headache. Nausea. Severe eye irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Toxic if inhaled. Harmful if swallowed.

Product Species Test Results

CHLOROFORM (CAS 67-66-3)

<u>Acute</u>

Inhalation

LC50 Rat 47.7 mg/l, 4 Hours

Oral

LD50 Dog 2250 mg/kg

 Mouse
 36 mg/kg

 Rabbit
 9827 mg/kg

 Rat
 2180 mg/kg

 1117 mg/kg
 908 mg/kg

 444 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

 $\textbf{Germ cell mutagenicity} \qquad \qquad \text{No data available to indicate product or any components present at greater than } 0.1\% \text{ are}$

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

CHLOROFORM (CAS 67-66-3) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

CHLOROFORM (CAS 67-66-3) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 5 / 9

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effectsCauses damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product Species Test Results

CHLOROFORM (CAS 67-66-3)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 15.1 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CHLOROFORM 1.97

Mobility in soil No data available.

Other adverse effectsThe product contains volatile organic compounds which have a photochemical ozone creation

potential.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D022: Waste chloroform

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

CHLOROFORM (CAS 67-66-3) U044

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

restautes. This material and its container must be disposed of in a safe mariner (see. Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1888 UN proper shipping name Chloroform

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -Label(s) 6.1 Packing group III

Special precautions for

Read safety instructions, SDS and emergency procedures before handling.

user

Special provisions IB3, N36, T7, TP2

Packaging exceptions 153
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN1888 UN proper shipping name Chloroform

Transport hazard class(es)

Class 6.1(PGIII)

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 6 / 9

 $\hbox{Material name: CHLOROFORM, VERITAS} \hbox{\mathbb{R} ULTIMATE, HYDROCARBON STABILIZED}$

Subsidiary risk Packing group III **Environmental hazards** No. **ERG Code** 6A

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Other information

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1888 **UN proper shipping name CHLOROFORM**

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Packing group III**Environmental hazards**

Marine pollutant No. **EmS** F-A, S-A

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

CHLOROFORM (CAS 67-66-3) Listed.

SARA 304 Emergency release notification

CHLOROFORM (CAS 67-66-3) 10 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED 1234 Version #: 04 7/9

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	

67-66-3 10 **CHLOROFORM** 10000

SARA 311/312 Yes

Hazardous chemical

Classified hazard Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation

Carcinogenicity Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
CHLOROFORM	67-66-3	100	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

CHLOROFORM (CAS 67-66-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

1-PENTENE (CAS 109-67-1) CHLOROFORM (CAS 67-66-3)

Clean Water Act (CWA) Hazardous substance Priority pollutant Section 112(r) (40 CFR 68.130) Toxic pollutant **Safe Drinking Water Act** 0.07 mg/l

(SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to CHLOROFORM, which is known to the State of California to cause

cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

CHLOROFORM (CAS 67-66-3) Listed: October 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

CHLOROFORM (CAS 67-66-3) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CHLOROFORM (CAS 67-66-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

1234 Version #: 04

16. Other information, including date of preparation or last revision

Issue dateOctober-26-2012Revision dateAugust-13-2018

Version # 04

Disclaimer The information given is designed only as a guidance for safe handling, use, processing, storage

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in

the sheet was written based on the best knowledge and experience currently available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: CHLOROFORM, VERITAS® ULTIMATE, HYDROCARBON STABILIZED

1234 Version #: 04 Revision date: August-13-2018 Issue date: October-26-2012 9 / 9