

SAFETY DATA SHEET

1. Identification			
Product identifier	DIETHYLCARBONATE, 99%		
Other means of identification			
Product code	2738		
Synonyms	ETHYL CARBONATE		
Recommended use	professional, scientific and tech	nical activities:	other professional, scientific and technical activities
Recommended restrictions	None known.		
Manufacturer/Importer/Suppl	lier/Distributor information		
Manufacturer			
Company name Address	GFS Chemicals, Inc. P.O. Box 245 Powell, OH 43065 United States		
Telephone	Phone	740-881-550	
	Toll Free Fax	800-858-9682 740-881-5989	
Website E-mail	www.gfschemicals.com service@gfschemicals.com	7-0-001-390	2
Emergency phone number	Emergency Assistance	Chemtrec 800)-424-9300
2. Hazard(s) identification	n		
Physical hazards	Flammable liquids		Category 3
Health hazards	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irritati	on	Category 2
	Specific target organ toxicity, si	ngle exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Warning		
Hazard statement	Flammable liquid and vapor. Ca respiratory irritation.	iuses skin irrita	tion. Causes serious eye irritation. May cause
Precautionary statement			
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection/face protection. Wash thoroughly after handling.		
Response	Call a POISON CENTER or doctor/physician if you feel unwell. In case of fire: Use appropriate media to extinguish. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact leaves if except and eacy to de Costinue rinsing. If are irritation percent, Cost medical		

None.

Storage Disposal

Hazard(s) not otherwise

Supplemental information

classified (HNOC)

off contaminated clothing and wash before reuse.

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove victim to fresh air and keep at rest in a position

Store locked up. Store in a cool, well-ventilated place. Keep container tightly closed.

applicable laws and regulations, and product characteristics at time of disposal.

comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

Static accumulating flammable liquid can become electrostatically charged even in bonded and

grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
DIETHYLCARBONATE	ETHYL CARBONATE	105-58-8	100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous

	to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Use clean non-sparking tools to collect absorbed material. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Do not get water on spilled substance or inside containers. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).
8. Exposure controls/pers	sonal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures Eye/face protection	s, such as personal protective equipment Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If ventilation is not sufficient to effectively prevent buildup of aerosols or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

9. Physical and chemical properties		
Appearance	Clear.	
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	-45.4 °F (-43 °C)	
Initial boiling point and boiling range	258.8 °F (126 °C)	
Flash point	77.0 °F (25.0 °C) Closed Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or e	xplosive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	1.44 kPa at 25 °C	
Vapor density	4.07	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Miscible.	
Partition coefficient (n-octanol/water)	1.21	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Density	0.98 g/cm3 estimated at 20 °C	
Flammability class	Flammable IC estimated	
Flash point class	Flammable IC	
Molecular formula	C5H10O3	
Molecular weight	118.13 g/mol	
Specific gravity	0.98 at 20 °C	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes skin irritation.

Eye contact	Causes serious eye irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the ohysical, chemical and oxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain.	
Information on toxicological e	effects	
Acute toxicity	May cause respiratory irritation.	
Product	Species	Test Results
DIETHYLCARBONATE (CAS 105-5	3-8)	
<u>Acute</u>		
Oral		
LDL0	Rat	15000 mg/kg
Other		
LD50	Rat	8500 mg/kg
* Estimates for product may	pe based on additional component data no	ot shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye	Causes serious eye irritation.	
rritation		
Respiratory or skin sensitizati		
Respiratory sensitization	Not available.	
Skin sensitization	May cause irritation.	
Germ cell mutagenicity	No data available to indicate product or mutagenic or genotoxic.	any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be a c	carcinogen by IARC, ACGIH, NTP, or OSHA.
Not listed. US OSHA Hazard Categori Not regulated. US OSHA Hazard Categori		
Not regulated. US OSHA Hazard Categori	es (2)	
Not regulated. US OSHA Hazard Categori	es (3)	
Not regulated. US OSHA Hazard Categori	es (4)	
Not regulated. US OSHA Hazard Categori	es (5)	
Not regulated. US OSHA Hazard Categori Not regulated.	es (6)	
US OSHA Hazard Categori Not regulated.	es (7)	
US OSHA Hazard Categori Not regulated.	es (8)	
US OSHA Hazard Categori Not regulated.	es (9)	
	rogram (NTP) Report on Carcinogens	5
Reproductive toxicity	This product is not expected to cause re	eproductive or developmental effects.
Specific target organ toxicity single exposure	May cause respiratory irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	Not available.	
Partition coefficient n-octa 1.21	nol / water (log Kow)	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
12 Diensest considerations		

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN2366
UN proper shipping name	Diethyl carbonate
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Special provisions	B1, IB3, T2, TP1
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	242
ΙΑΤΑ	
UN number	UN2366
UN proper shipping name	Diethyl carbonate
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	3L
Special precautions for	Read safety instructions, SDS and emergency procedures before handling.
user	
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2366
UN proper shipping name	DIETHYL CARBONATE
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	III
Environmental hazards	111
Marine pollutant	No.
Material name: DIETHYLCARBONATE,	
2738 Version	
2750 VEISION	π , or revision date. Toole date. Aphi-22-2010

EmSF-E, S-DSpecial precautions forRead safety instructions, SDS and emergency procedures before handling.user

user Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification

Not regulated. US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated. US OSHA Hazard Categories (3)

Not regulated. US OSHA Hazard Categories (4)

Not regulated. US OSHA Hazard Categories (5) Not regulated.

- US OSHA Hazard Categories (6) Not regulated.
- US OSHA Hazard Categories (7) Not regulated.
- US OSHA Hazard Categories (8) Not regulated.
- US OSHA Hazard Categories (9) Not regulated.
- US OSHA Hazard Categories (10) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. Massachusetts RTK Substance List DIETHYLCARBONATE (CAS 105-58-8)
- US. New Jersey Worker and Community Right-to-Know Act DIETHYLCARBONATE (CAS 105-58-8)
- US. Pennsylvania Worker and Community Right-to-Know Law

DIETHYLCARBONATE (CAS 105-58-8)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	April-22-2016
Version #	01

GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

Product and Company Identification: Synonyms Hazards Identification: Shared US and Canadian Categories Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties Transport Information: Proper Shipping Name/Packing Group Regulatory Information: Risk Phrases - Class.