

SAFETY DATA SHEET

1. Identification

Product identifier ETHYL ETHER, VERITAS® ULTIMATE

Other means of identification

Product code 1238 CAS number 60-29-7

Synonyms DIETHYL ETHER * ETHER

Recommended use solvent technical function of substance, professional, scientific and technical activities: other

professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501 Toll Free 800-858-9682

Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone

number

Emergency Assistance Chemtrec 800-424-9300

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 1Health hazardsAcute toxicity, oralCategory 4Serious eye damage/eye irritationCategory 2B

Specific target organ toxicity, single exposure Category 3 narcotic effects

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable liquid and vapor. Harmful if swallowed. Causes eye irritation. May cause

drowsiness or dizziness.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting// equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves/eye protection/face protection.

Response IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. If on

skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

Storage Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Material name: ETHYL ETHER, VERITAS® ULTIMATE

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 1 / 9

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
ETHYL ETHER	DIETHYL ETHER	60-29-7	100
	FTHER		

Stabilizers

Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL	ETHANOL 200 PROOF	64-17-5	2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments Occupational Exposure Limits for stabilizers are listed in Section 8.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes. Exposed

individuals may experience eye tearing, redness, and discomfort.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Extremely flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 2 / 9

Material name: ETHYL ETHER, VERITAS® ULTIMATE

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Soak up with inert absorbent material. Take precautionary measures against static discharge. Use only non-sparking tools. Use clean non-sparking tools to collect absorbed material. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Place all material into loosely covered plastic containers for later disposal.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. It is recommended that any liquid product exposed to air not be highly concentrated by evaporation without first assuring that peroxide levels are acceptable.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

1000 ppm

8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values

Material name: ETHYL ETHER, VERITAS® ULTIMATE

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Material	or Air Contaminants (29 CFR 19 Type	10.1000) Value	
ETHYL ETHER (CAS 60-29-7)	PEL	1200 mg/m3	
,		400 ppm	
Stabilizers	Туре	Value	
ETHYL ALCOHOL (CAS 64-17-5)	PEL	1900 mg/m3	
(1000 ppm	
US. ACGIH Threshold Limit V	/alues		
Material	Туре	Value	
ETHYL ETHER (CAS 60-29-7)	STEL	500 ppm	
	TWA	400 ppm	
Stabilizers	Туре	Value	
ETHYL ALCOHOL (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Stabilizers	Туре	Value	
ETHYL ALCOHOL (CAS 64-17-5)	TWA	1900 mg/m3	

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 3 / 9

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor

cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Ether-like.

Odor threshold Not available.

pH Not available.

Melting point/freezing point -177.34 °F (-116.3 °C)

Initial boiling point and

boiling range

94.28 °F (34.6 °C) 101.325 kPa

Flash point -49.0 °F (-45.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower 1.9 %

(%)

Flammability limit -

upper (%)

36.5 %

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressure 71.73 kPa at 25 °C

Vapor density 2.55

Relative density Not available.

Solubility(ies)

Solubility (water) 80 g/l
Partition coefficient 0.89

(n-octanol/water)

Auto-ignition temperature320 °F (160 °C)Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 0.71 g/cm3 estimated at 20 °C **Dynamic viscosity** 0.25 mPa.s (68 °F (20 °C))

Explosive properties Not explosive.

Material name: ETHYL ETHER, VERITAS® ULTIMATE

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 4 / 9

Flammability class Flammable IA estimated

Flash point class Flammable IA

Kinematic viscosity 0.3435 mm²/s estimated

Molecular formulaC4H10OMolecular weight74.12 g/molOxidizing propertiesNot oxidizing.

Percent volatile 100 %

Specific gravity 0.71 at 20 °C

Surface tension 17.06 mN/m (68 °F (20 °C))

VOC 100 %

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport. **Chemical stability**Material is stable under normal conditions. Contact with air and light may form explosive peroxides.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash

point. Contact with incompatible materials.

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

harmful.

Skin contact No adverse effects due to skin contact are expected.

Strong oxidizing agents.

Eye contact Causes eye irritation. **Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of eyes. Exposed

individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if swallowed.

Product Species Test Results

ETHYL ETHER (CAS 60-29-7)

Acute Inhalation

LC50 Rat 32000 mg/l, 4 Hours

Oral

LD50 Rat 3230 - 3920 mg/kg

Other

LD50 Mouse 2420 mg/kg

996 mg/kg

Rabbit 20 ml/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

 $\label{eq:material name: ETHYL ETHER, VERITAS @ ULTIMATE} \\$

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 5 / 9

^{*} Estimates for product may be based on additional component data not shown.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

May cause drowsiness and dizziness.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results ETHYL ETHER (CAS 60-29-7) **Aquatic** LC50 Fish Fathead minnow (Pimephales promelas) 2560 mg/l, 96 hours **Stabilizers Species Test Results** ETHYL ALCOHOL (CAS 64-17-5) **Aquatic** EC50 7.7 - 11.2 mg/l, 48 hours Crustacea Water flea (Daphnia magna) Fish LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

Persistence and degradability None known.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYL ETHER 0.89

Mobility in soil No data available.

Other adverse effectsThe product contains volatile organic compounds which have a photochemical ozone creation

potential.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

ETHYL ETHER (CAS 60-29-7) U117

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1155

UN proper shipping name Diethyl ether or Ethyl ether

Transport hazard class(es)
Class 3
Subsidiary risk Label(s) 3

Material name: ETHYL ETHER, VERITAS® ULTIMATE

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 6 / 9

^{*} Estimates for product may be based on additional component data not shown.

Packing group

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Special provisions T11, TP2 **Packaging exceptions** 150 Packaging non bulk 201 **Packaging bulk** 243

IATA

UN number UN1155 **UN** proper shipping name Ethyl ether

Transport hazard class(es) Class 3 **Subsidiary risk** Ι **Packing group Environmental hazards** No.

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

ERG Code

Other information

Allowed with restrictions. Passenger and cargo

3AH

aircraft

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1155

UN proper shipping name DIETHYL ETHER (ETHYL ETHER)

Transport hazard class(es)

Class 3 **Subsidiary risk Packing group** Ι **Environmental hazards**

Marine pollutant No. **EmS** F-E, S-D

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78

and the IBC Code

Not established.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

Material name: ETHYL ETHER, VERITAS® ULTIMATE

1238 Version #: 02 7/9

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ETHYL ETHER (CAS 60-29-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

ETHYL ETHER (CAS 60-29-7)

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

ETHYL ETHER (CAS 60-29-7) 6584

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

ETHYL ETHER (CAS 60-29-7) 35 %WV

DEA Exempt Chemical Mixtures Code Number

ETHYL ETHER (CAS 60-29-7) 6584

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHYL ALCOHOL (CAS 64-17-5) Low priority

Inventory name

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

On inventory (yes/no)*

Yes

International Inventories

Country(s) or region

United States & Puerto Rico

Material name: ETHYL ETHER, VERITAS® ULTIMATE

, , , ,	•	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 8 / 9

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date June-05-2015 **Revision date** August-30-2017

Material name: ETHYL ETHER, VERITAS® ULTIMATE

Version # 02

Disclaimer GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

1238 Version #: 02 Revision date: August-30-2017 Issue date: June-05-2015 9 / 9