

# SAFETY DATA SHEET

#### 1. Identification

Product identifier KEROSENE

Other means of identification

 Product code
 5820

 CAS number
 8008-20-6

**Recommended use** solvent technical function of substance, professional, scientific and technical activities: other

professional, scientific and technical activities

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company name**Address
800 Kaderly Drive
Columbus, OH 43228

**United States** 

**Telephone** Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsSkin corrosion/irritationCategory 2

Aspiration hazard Category 1

**Environmental hazards** Hazardous to the aquatic environment, acute Category 2

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

**OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. Toxic to

aquatic life. Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Keep away from flames and hot surfaces-No smoking. Wash thoroughly after handling. Avoid

release to the environment. Wear protective gloves/eye protection/face protection.

**Response** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

Material name: KEROSENE

5820 Version #: 01 Revision date: Issue date: June-12-2019 1 / 7

## 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
KEROSENE		8008-20-6	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

**Most important** 

symptoms/effects, acute and

delayed

Aspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting. Diarrhea. Direct contact with eyes may cause temporary irritation. Skin irritation. May cause redness and pain.

**Indication of immediate** medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

**Special protective equipment** and precautions for

firefighters

Fire fighting

equipment/instructions

**Specific methods** 

**General fire hazards** 

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

The product is combustible, and heating may generate vapors which may form explosive vapor/aii

mixtures. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

5820 Version #: 01 Revision date: Issue date: June-12-2019 2/7

Material name: KEROSENE

# 7. Handling and storage

**Precautions for safe handling** Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke.

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGI	H Thresho	old Limit	<b>Values</b>
----------	-----------	-----------	---------------

Material	Туре	Value	Form
KEROSENE (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.
US. NIOSH: Pocket Guide to Che	mical Hazards		
Material	Туре	Value	
KEROSENE (CAS 8008-20-6)	TWA	100 mg/m3	

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

## **US ACGIH Threshold Limit Values: Skin designation**

KEROSENE (CAS 8008-20-6)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state
Form
Color
Colorless.

Odor
Not available.

Odor threshold
Not available.

Melting point/freezing point
Not available.

Initial boiling point and

boiling range

390.2 - 617 °F (199 - 325 °C)

Flash point > 167.0 °F (> 75.0 °C)

**Evaporation rate**Not available. **Flammability (solid, gas)**Not applicable.

Material name: KEROSENE

5820 Version #: 01 Revision date: Issue date: June-12-2019 3 / 7

Upper/lower flammability or explosive limits

Flammability limit - lower 0.7 %

(%)

Flammability limit -

upper (%)

5 %

**Explosive limit - lower** 

(%)

**Explosive limit - upper** (%)

Not available.

Not available.

Vapor pressure 0.06 kPa (68 °F (20 °C))

**Relative density** Not available.

Solubility(ies)

Vapor density

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

410 °F (210 °C) **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

0.80 g/cm3 estimated Density

**Explosive properties** Not explosive.

Flammability class Combustible IIIA estimated

**Heat of combustion** 

(NFPA 30B)

41.4 kJ/g

**Oxidizing properties** Not oxidizing.

Specific gravity 0.8

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

Conditions to avoid

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

#### 11. Toxicological information

## Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia.

Symptoms related to the physical, chemical and toxicological characteristics Aspiration may cause pulmonary edema and pneumonitis. Headache. Nausea, vomiting. Diarrhea.

Skin irritation. May cause redness and pain.

## Information on toxicological effects

May be fatal if swallowed and enters airways. **Acute toxicity** 

Causes skin irritation. Skin corrosion/irritation

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: KEROSENE

5820 Version #: 01 Revision date: Issue date: June-12-2019 4/7 **Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

Not classified.

- single exposure

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

**Persistence and degradability** No data is available on the degradability of this substance.

**Bioaccumulative potential**No data available. **Mobility in soil**No data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

estades. This material and its container must be disposed of in a safe mariner (see: Disposar

instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1223

**UN proper shipping name** Kerosene **Transport hazard class(es)** 

Class 3
Subsidiary risk Label(s) 3
Packing group III

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 144, B1, IB3, T2, TP2

Packaging exceptions 150
Packaging non bulk 203
Packaging bulk 242

**IATA** 

**UN number** UN1223 **UN proper shipping name** Kerosene

Transport hazard class(es)
Class 3
Subsidiary risk Packing group III

Material name: KEROSENE

5820 Version #: 01 Revision date: Issue date: June-12-2019 5 / 7

**Environmental hazards** No. **ERG Code** 3L

**Special precautions for** Read safety instructions, SDS and emergency procedures before handling.

user

Other information

**Passenger and cargo** Allowed with restrictions.

aircraft

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN1223 **UN proper shipping name** KEROSENE

Transport hazard class(es)
Class 3
Subsidiary risk Packing group III
Environmental hazards

**Special precautions for** Read safety instructions, SDS and emergency procedures before handling.

user

**Transport in bulk according to** Not established.

Annex II of MARPOL 73/78

and the IBC Code

**DOT** 



IATA; IMDG



## 15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

**Toxic Substances Control** This substance is on the TSCA 8(b) inventory and is designated "active".

Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Material name: KEROSENE

5820 Version #: 01 Revision date: Issue date: June-12-2019 6 / 7

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Flammable (gases, aerosols, liquids, or solids)

**categories** Skin corrosion or irritation

Aspiration hazard

#### SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

**Inventory name** 

(SDWA)

#### **US state regulations**

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Australian Inventory of Chemical Substances (AICS)

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

KEROSENE (CAS 8008-20-6)

#### **International Inventories**

Australia

Country(s) or region

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

## 16. Other information, including date of preparation or last revision

**Issue date** June-12-2019

Version # 01

United States & Puerto Rico

**Disclaimer** GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

On inventory (yes/no)\*

Yes

sheet was written based on the best knowledge and experience currently available

5820 Version #: 01 Revision date: Issue date: June-12-2019 7 / 7

Material name: KEROSENE