

SAFETY DATA SHEET

1. Identification

Product identifier SULFURIC ACID, SOLUTION, 5.00 N

Other means of identification

Product code 2158

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, inhalation Category 1

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Environmental hazardsNot classified. **OSHA defined hazards**Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled.

Precautionary statement

Prevention Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection. Wash thoroughly after handling.

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Wash contaminated

clothing before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: SULFURIC ACID, SOLUTION, 5.00 N

3. Composition/information on ingredients

Mixtures

2158 Version #: 01 Revision date: Issue date: August-05-2015 1 / 8

Chemical name	Common name and synonyms	CAS number	%
WATER		7732-18-5	79.77
SULFURIC ACID		7664-93-9	20.24

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician or poison control center immediately.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if **Eye contact**

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If **Ingestion**

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

blindness could result. Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under

observation. Symptoms may be delayed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Powder. Foam. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: SULFURIC ACID, SOLUTION, 5.00 N 2158 Version #: 01 Revision date: Issue date: August-05-2015 2/8 Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

 Components
 Type
 Value

 SULFURIC ACID (CAS
 PEL
 1 mg/m3

7664-93-9)

US. ACGIH Threshold Limit Values

 Components
 Type
 Value
 Form

 SULFURIC ACID (CAS
 TWA
 0.2 mg/m3
 Thoracic fraction.

7664-93-9)

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value

 SULFURIC ACID (CAS
 TWA
 1 mg/m3

7664-93-9)

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Colorless.
Odor Not available.
Odor threshold Not available.

pH < 3

Melting point/freezing point 35.76 °F (2.09 °C) estimated **Initial boiling point and** > 212 °F (> 100 °C) estimated

boiling range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

(%)

Not available.

Explosive limit - upper

Not available.

(%)

Material name: SULFURIC ACID, SOLUTION, 5.00 N

2158 Version #: 01 Revision date: Issue date: August-05-2015 3 / 8

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Miscible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density1.15 g/cm3Molecular formulaH2SO4Molecular weight98.09

Percent volatile 80 % estimated

Specific gravity 1.15

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Fatal if inhaled.

sults

SULFURIC ACID, SOLUTION, 5.00 N (CAS Mixture)

Acute *Inhalation*

LC50 Guinea pig 0.1091 mg/l

0.0889 mg/l, 8 Hours estimated

Rat 1714.4269 mg/l, 1 Hours estimated

Components Species Test Results

SULFURIC ACID (CAS 7664-93-9)

Acute *Inhalation*

LC50 Guinea pig

nea pig 0.03 mg/l, 8 Hours 0.018 mg/l, 8 Hours

Rat 347 mg/l, 1 Hours

Skin corrosion/irritation Causes severe skin burns and eye damage.

Material name: SULFURIC ACID, SOLUTION, 5.00 N

2158 Version #: 01 Revision date: Issue date: August-05-2015 4 / 8

^{*} Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not available.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

SULFURIC ACID, SOLUTION, 5.00 N (CAS Mixture)

Aquatic

Fish LC50 Fish 207.5099 mg/l, 96 hours estimated

Components Species Test Results

SULFURIC ACID (CAS 7664-93-9)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 42 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available. **Mobility in soil**No data available.

Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste codeThe waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN2796

UN proper shipping name SULFURIC ACID with not more than 51% acid

Transport hazard class(es)
Class 8
Subsidiary risk -

Material name: SULFURIC ACID, SOLUTION, 5.00 N

2158 Version #: 01 Revision date: Issue date: August-05-2015 5 / 8

^{*} Estimates for product may be based on additional component data not shown.

8 Label(s) Packing group ΙΙ

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12

Packaging exceptions 154 202 Packaging non bulk 242 **Packaging bulk**

IATA

UN number UN2796

UN proper shipping name SULPHURIC ACID with not more than 51% acid

Transport hazard class(es) **Class** 8 Subsidiary risk **Packing group** ΙΙ **Environmental hazards** No. **ERG Code** 8L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

UN2796 **UN number**

UN proper shipping name SULPHURIC ACID with not more than 51% acid

Transport hazard class(es) **Class** 8 **Subsidiary risk Packing group** II**Environmental hazards**

Marine pollutant No. **EmS** F-A, S-B

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

user

Transport in bulk according to Not established. Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



6/8 2158 Version #: 01 Revision date: Issue date: August-05-2015

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Hazard categories

CERCLA Hazardous Substance List (40 CFR 302.4)

SULFURIC ACID (CAS 7664-93-9) Listed.

SARA 304 Emergency release notification

SULFURIC ACID (CAS 7664-93-9) 1000 LBS

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name CAS number Reportable Threshold Threshold Threshold planning quantity planning quantity, lower quantity, upper value

SULFURIC ACID 7664-93-9 1000 1000 lbs

No

SARA 311/312

Hazardous chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.SULFURIC ACID7664-93-920.24

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

6552

SULFURIC ACID (CAS 7664-93-9)

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

SULFURIC ACID (CAS 7664-93-9) 20 %WV

DEA Exempt Chemical Mixtures Code Number

SULFURIC ACID (CAS 7664-93-9) 6552

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

SULFURIC ACID (CAS 7664-93-9)

US. New Jersey Worker and Community Right-to-Know Act

SULFURIC ACID (CAS 7664-93-9)

US. Pennsylvania Worker and Community Right-to-Know Law

SULFURIC ACID (CAS 7664-93-9)

US. Rhode Island RTK

SULFURIC ACID (CAS 7664-93-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Australia

Country(s) or region Inventory name On inventory (yes/no)*

2158 Version #: 01 Revision date: Issue date: August-05-2015 7 / 8

Australian Inventory of Chemical Substances (AICS)

Material name: SULFURIC ACID, SOLUTION, 5.00 N

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date August-05-2015

Version # 01

Disclaimer GFS Chemicals cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision Information Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Material name: SULFURIC ACID, SOLUTION, 5.00 N
2158 Version #: 01 Revision date: Issue date: August-05-2015 8 / 8