

Classified According to OSHA Hazard Communication Standard (HCS)

#### **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Mixed ICP Standard

Product Number: 5158
Other Identifying Product Numbers: 5158-100

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

#### **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements:	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313

Product Number: 5158 Page 1 of 31



## **Safety Data Sheet**

#### 2.2. GHS Label Elements

#### Pictograms:





Signal Word: Danger

#### **Hazard Statements:**

Hazard Number	Hazard Statement
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.

#### **Precautionary Statements:**

Precautionary Number	Precautionary Statement
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water.).
P337+P313	If eye irritation persists: Get medical attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: 5158 Page 2 of 31



## **Safety Data Sheet**

### **SECTION 3: Composition / Information on Ingredients**

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	97.99
Nitric Acid	HNO <sub>3</sub>	63.01 g/mol	7697-37-2	2.00
Aluminum Nitrate Nonahydrate	$AI(NO_3)_3 \cdot 9H_2O$	375.13 g/mol	7784-27-2	< 0.1
Chromium Nitrate Nonahydrate	Cr(NO <sub>3</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	238.01 g/mol	7789-02-8	< 0.1
Beryllium Basic Acetate	$Be_4O(C_2H_3O_2)_6$	406.31 g/mol	19049-40-2	< 0.1
Tin	Sn	118.71 g/mol	7440-31-5	< 0.1
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1
Antimony Trioxide	Sb <sub>2</sub> O <sub>3</sub>	291.51 g/mol	1309-64-4	< 0.1
Selenium	Se	78.95 g/mol	7782-49-2	< 0.1
Copper	Cu	63.54 g/mol	7440-50-8	< 0.1
Cobalt	Со	58.93 g/mol	7440-48-4	< 0.1
Arsenic	As	74.92 g/mol	7440-38-2	< 0.1
Thallium	TI	204.38 g/mol	7440-28-0	< 0.1
Molybdenum	Мо	95.95 g/mol	7439-98-7	< 0.1
Lead	Pb	207.2 g/mol	7439-92-1	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Zinc	Zn	65.40 g/mol	7440-66-6	< 0.1
Cadmium	Cd	112.41 g/mol	7440-43-9	< 0.1
Silver	Ag	107.86 g/mol	7440-22-4	< 0.1

### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and

pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if

necessary.

Product Number: 5158 Page 3 of 31

#### 4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye irritation. Caution! Mildly corrosive liquid. Contains low level of known and suspected carcinogens. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

#### 4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, g oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call physician if necessary.

### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Use water or water spray.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

#### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

#### 6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: 5158 Page 4 of 31



### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: 5158 Page 5 of 31



## **Safety Data Sheet**

Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m³ TWA (as Sb)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium Basic Acetate (19049-40-2)	TWA	USA	"0.2 μg/m³ TWA (as Be)" As Beryllium compounds [RR-00557-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Beryllium Basic Acetate (19049-40-2)	TLV-TWA	USA	"0.00005 mg/m³ TWA (inhalable particulate matter, as Be)" As Beryllium compounds [RR-00557-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium Basic Acetate (19049-40-2)	PEL-Ceiling	USA	"2 μg/m³ Ceiling (as Be)" As Beryllium compounds [RR-00557-2]	U.S OSHA - Final PELs - Ceiling Limits
Beryllium Basic Acetate (19049-40-2)	PEL-Ceiling	USA	2 μg/m³ Ceiling (as Be)	U.S OSHA - Final PELs - Ceiling Limits
Beryllium Basic Acetate (19049-40-2)	TLV-TWA	USA	0.00005 mg/m³ TWA (inhalable particulate matter, as Be)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Beryllium Basic Acetate (19049-40-2)	TWA	USA	0.2 μg/m³ TWA (as Be)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead (7439-92-1)	PEL	USA	"30 μg/m³ Action Level (See 29 CFR 1910.1025); 50 μg/m³ TWA" As Lead [7439-92-1]	U.S OSHA - Specifically Regulated Chemicals with PELs

Product Number: 5158 Page 6 of 31



## **Safety Data Sheet**

Lead (7439-92-1)	TLV-TWA	USA	"0.05 mg/m3 TWA" As Lead	ACGIH - Threshold Limit Values - Time
			[7439-92-1]	Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	"50 μg/m³ TWA" As Lead	U.S OSHA - Final PELs - Time
			[7439-92-1]	Weighted Averages (TWAs)
Lead (7439-92-1)	TLV-TWA	USA	0.05 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead (7439-92-1)	TWA	USA	50 μg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Lead (7439-92-1)	PEL	USA	30 μg/m³ Action Level (See	U.S OSHA - Specifically Regulated
			29 CFR 1910.1025); 50	Chemicals with PELs
			μg/m³ TWA	
Lead (7439-92-1)	PEL	USA	"30 μg/m³ Action Level (See	U.S OSHA - Specifically Regulated
			29 CFR 1910.1025, as Pb);	Chemicals with PELs
			50 μg/m³ TWA (as Pb)" As	
			Lead, inorganic compounds	
			[RR-00538-9]	
Lead (7439-92-1)	TLV-TWA	USA	"0.05 mg/m³ TWA (as Pb)"	ACGIH - Threshold Limit Values - Time
			As Lead inorganic	Weighted Averages (TLV-TWA)
			compounds [RR-00538-9]	
Lead (7439-92-1)	TWA	USA	"50 μg/m³ TWA (as Pb)" As	U.S OSHA - Final PELs - Time
,			Lead, inorganic compounds	Weighted Averages (TWAs)
			[RR-00538-9]	
Molybdenum (7439-98-7)	TWA	USA	"15 mg/m³ TWA (total dust)"	U.S OSHA - Final PELs - Time
			As Molybdenum, insoluble	Weighted Averages (TWAs)
			compounds [RR-00037-3]	
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter); 3 mg/m³	Weighted Averages (TLV-TWA)
			TWA (respirable particulate	
			matter)	
Molybdenum (7439-98-7)	TLV-TWA	USA	10 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Mo); 3	Weighted Averages (TLV-TWA)
			mg/m³ TWA (respirable	
			particulate matter, as Mo)	
Molybdenum (7439-98-7)	TWA	USA	15 mg/m³ TWA (total dust)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m3 TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	

Product Number: 5158 Page 7 of 31



## **Safety Data Sheet**

Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
(			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	,
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TWA	USA	"1 mg/m3 TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m3 TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m3 TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)

Product Number: 5158 Page 8 of 31



## **Safety Data Sheet**

Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
Silver (7440-22-4)	IVVA	USA	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
011761 (1440 22 4)	ILV IVVA	OOA	fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
Silver (7440-22-4)	IWA	OOA	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
011101 (1440 22 4)	ILV IVVA	OOA	fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
011101 (1440 22 4)	127 1777	00/1	fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
0.110 22 1)	1777	00/1	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TWA	USA	0.01 mg/m³ TWA	U.S OSHA - Final PELs - Time
011101 (1440 22 4)	1 **/*	00/1	0.01 mg/m 1 <b>1 1 1</b>	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	0.1 mg/m <sup>3</sup> TWA (dust and	ACGIH - Threshold Limit Values - Time
011701 (7440 22 4)	127 1777	00/1	fume)	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
011761 (1440 22 4)	IWA	OOA	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
011101 (1440 22 4)	127 1777	00/1	fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
0.110 22 1)	1 ***	00/1	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
		00/1	fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Silver (7440-22-4)	TWA	USA	"0.01 mg/m³ TWA" As Silver	U.S OSHA - Final PELs - Time
0.110 22 1)	1 ***	00/1	[7440-22-4]	Weighted Averages (TWAs)
Silver (7440-22-4)	TLV-TWA	USA	"0.1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			fume)" As Silver [7440-22-4]	Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Thallium [7440-28-0]	······································
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
(* * * * * * * * * * * * * * * *		- <del>-</del> - ·	particulate matter)" As	Weighted Averages (TLV-TWA)
			Thallium [7440-28-0]	J
Thallium (7440-28-0)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
(· · · · · · · · · · · · · · ·		- <del>-</del> - ·	particulate matter)	Weighted Averages (TLV-TWA)
Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
(· · · · · · · · · · · · · · ·		- <del>-</del> - ·	particulate matter)" As	Weighted Averages (TLV-TWA)
			Thallium [7440-28-0]	

Product Number: 5158 Page 9 of 31



## **Safety Data Sheet**

Thallium (7440-28-0)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter, as TI)" As Thallium compounds [RR-00575-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds [RR-00043-1]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TLV-TWA	USA	2 mg/m³ TWA (excluding Tin hydride and Indium tin oxide, inhalable particulate matter, as Sn)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TWA	USA	2 mg/m³ TWA (except oxides, as Sn)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Tin (7440-31-5)	TLV-TWA	USA	"2 mg/m³ TWA (excluding Tin hydride and Indium tin oxide, inhalable particulate matter, as Sn)" As Tin inorganic compounds [RR-00043-1]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Tin (7440-31-5)	TWA	USA	"2 mg/m³ TWA (except oxides, as Sn)" As Tin, inorganic compounds [RR-00043-1]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA" As Arsenic, elemental [7440-38-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA" As Arsenic, elemental [7440-38-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TLV-TWA	USA	0.01 mg/m³ TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA (as As)" As Arsenic inorganic compounds [RR-00065-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Arsenic (7440-38-2)	TWA	USA	"10 µg/m³ TWA (as As)" As Arsenic, inorganic compounds [RR-00065-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: 5158 Page 10 of 31



## **Safety Data Sheet**

Arsenic (7440-38-2)	PEL	USA	"10 μg/m³ TWA (See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1018; except	Chemicals with PELs
			Arsine, as As); 5 μg/m <sup>3</sup>	
			Action Level (as As)" As	
			Inorganic arsenic	
			compounds [RR-00065-7]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Arsenic, elemental	Weighted Averages (TLV-TWA)
			[7440-38-2]	
Arsenic (7440-38-2)	TLV-TWA	USA	"0.01 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Arsenic, elemental	Weighted Averages (TLV-TWA)
			[7440-38-2]	
Cadmium (7440-43-9)	PEL-Ceiling	USA	0.3 mg/m³ Ceiling (applies to	U.S OSHA - Final PELs - Ceiling
			any operations or sectors for	Limits
			which the Cadmium	
			standard is stayed or	
			otherwise not in effect,	
			fume); 0.6 mg/m <sup>3</sup> Ceiling	
			(applies to any operations or	
			sectors for which the	
			Cadmium standard is stayed	
			or otherwise not in effect,	
			dust)	
Cadmium (7440-43-9)	TWA	USA	5 μg/m³ TWA	U.S OSHA - Final PELs - Time
, ,			. •	Weighted Averages (TWAs)
Cadmium (7440-43-9)	TLV-TWA	USA	0.01 mg/m <sup>3</sup> TWA; 0.002	ACGIH - Threshold Limit Values - Time
,			mg/m³ TWA (respirable	Weighted Averages (TLV-TWA)
			particulate matter)	<b>5</b>
Cadmium (7440-43-9)	PEL	USA	5 μg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
,			1910.1027); 2.5 μg/m³	Chemicals with PELs
			Action Level	
Cadmium (7440-43-9)	TLV-TWA	USA	"0.01 mg/m³ TWA (as Cd);	ACGIH - Threshold Limit Values - Time
,			0.002 mg/m <sup>3</sup> TWA	Weighted Averages (TLV-TWA)
			(respirable particulate	
			matter, as Cd)" As Cadmium	
			compounds [RR-00559-4]	
Cadmium (7440-43-9)	PEL	USA	"5 µg/m³ TWA (See 29 CFR	U.S OSHA - Specifically Regulated
- (	_		1910.1027, as Cd); 2.5	Chemicals with PELs
			μg/m³ Action Level (as Cd)"	
			As Cadmium compounds	
			[RR-00559-4]	

Product Number: 5158 Page 11 of 31



## **Safety Data Sheet**

Cobalt (7440-48-4)	TWA	USA	"0.1 mg/m³ TWA (dust and	U.S OSHA - Final PELs - Time
			fume)" As Cobalt metal [7440-48-4]	Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	"0.02 mg/m3 TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Cobalt [7440-48-4]	
Cobalt (7440-48-4)	TLV-TWA	USA	"0.02 mg/m3 TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Cobalt [7440-48-4]	
Cobalt (7440-48-4)	TWA	USA	"0.1 mg/m3 TWA (dust and	U.S OSHA - Final PELs - Time
			fume)" As Cobalt metal	Weighted Averages (TWAs)
			[7440-48-4]	
Cobalt (7440-48-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Cobalt [7440-48-4]	
Cobalt (7440-48-4)	TWA	USA	"0.1 mg/m³ TWA (dust and	U.S OSHA - Final PELs - Time
			fume)" As Cobalt metal	Weighted Averages (TWAs)
			[7440-48-4]	
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Cobalt (7440-48-4)	TWA	USA	0.1 mg/m³ TWA (dust and	U.S OSHA - Final PELs - Time
			fume)	Weighted Averages (TWAs)
Cobalt (7440-48-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Co)	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m <sup>3</sup> TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m3 TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TWA	USA	"0.1 mg/m <sup>3</sup> TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)

Product Number: 5158 Page 12 of 31



## **Safety Data Sheet**

Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
•			mg/m3 TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m3 TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)	Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m <sup>3</sup> TWA (fume)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			mist, as Cu)" As Copper	Weighted Averages (TLV-TWA)
			compounds [RR-00595-8]	
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			mist, as Cu)" As Copper	Weighted Averages (TLV-TWA)
			compounds [RR-00595-8]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
,	-		Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	

Product Number: 5158 Page 13 of 31



## **Safety Data Sheet**

Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m³ TWA (as F)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As Hydrogen fluoride [7664-39-3]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As Hydrogen fluoride [7664-39-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As Hydrogen fluoride [7664-39-3]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As Hydrogen fluoride [7664-39-3]	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As Hydrogen fluoride [7664-39-3]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As Hydrogen fluoride [7664-39-3]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m³ TWA" As Nitric acid [7697-37-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m³ TWA" As Nitric acid [7697-37-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

Product Number: 5158 Page 14 of 31



## **Safety Data Sheet**

Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m <sup>3</sup>	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
, ,			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m <sup>3</sup>	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m <sup>3</sup>	U.S OSHA - Final PELs - Time
, ,			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
, ,			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m <sup>3</sup>	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)

Product Number: 5158 Page 15 of 31



## **Safety Data Sheet**

0 1 1 /==0 10 0		1.0.	"O O / O TIME	A000 T
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
,			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	0.2 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA" As	ACGIH - Threshold Limit Values - Time
			Selenium [7782-49-2]	Weighted Averages (TLV-TWA)
Selenium (7782-49-2)	TLV-TWA	USA	"0.2 mg/m³ TWA (as Se)" As	ACGIH - Threshold Limit Values - Time
			Selenium compounds	Weighted Averages (TLV-TWA)
			[RR-00612-2]	
Selenium (7782-49-2)	TWA	USA	"0.2 mg/m³ TWA (as Se)" As	U.S OSHA - Final PELs - Time
			Selenium compounds	Weighted Averages (TWAs)
			[RR-00612-2]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	<b>5</b> , ,
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
,	•		Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	0.5 mg/m³ TWA (as Cr)	U.S OSHA - Final PELs - Time
		-	J (*** - /	Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m3 TWA (as Cr)" As	U.S OSHA - Final PELs - Time
	<b>,</b>		, ,	
			[RR-03889-1]	5 ··· · · · · · · · · · · · · · · · · ·
Chromium Nitrate Nonahydrat	e (7789-(TWA	USA	Chromium(III) compounds	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
			[nn-03009-1]	

Product Number: 5158 Page 16 of 31

Chromium Nitrate Nonahydrate (7789-(TWA USA "0.5 mg/m³ TWA (as Cr)" As U.S. - OSHA - Final PELs - Time Chromium(III) compounds Weighted Averages (TWAs)

[RR-03889-1]

#### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** Normal room ventilation is adequate.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

### **SECTION 9: Physical and Chemical Properties**

### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: acidic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient: Data not available.

**Auto-Ignition Temperature:** Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

Product Number: 5158 Page 17 of 31

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

#### 10.3. Conditions to Avoid and Incompatible Materials

Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

#### 10.4. Hazardous Decomposition Products

Will not occur.

### **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Not applicable.

#### **Acute Toxicity - Other Information:**

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value. Arsenic, Beryllium and Nickel are investigated as tumorigens. LD50, Oral, Rat: 763 mg/kg (Arsenic), behavioral and gastrointestinal effects noted.

#### Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

#### **Serious Eye Damage and Irritation:**

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

Product Number: 5158 Page 18 of 31

#### **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

#### **Additional Toxicology Information:**

Data not available.

### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Not applicable.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

Product Number: 5158 Page 19 of 31

### **SECTION 14: Transportation Information**



Not regulated according to DOT Regulations.

### 14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

### 14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

Product Number: 5158 Page 20 of 31

### **SECTION 15: Regulatory Information**

#### 15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): "30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)" As Lead [7439-92-1] Lead (CAS # 7439-92-1): "30 μg/m3 Action Level (See 29 CFR 1910.1025, as Pb); 50 μg/m3 TWA (See 29 CFR 1910.1025, as Pb)" As Lead, inorgan compounds [RR-00538-9]

Lead (CAS # 7439-92-1): 30 µg/m3 Action Level (See 29 CFR 1910.1025); 50 µg/m3 TWA (See 29 CFR 1910.1025)

Arsenic (CAS # 7440-38-2): "10 μg/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 μg/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)" As Inorganic arsenic compounds [RR-00065-7]

Cadmium (CAS # 7440-43-9): "5  $\mu$ g/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5  $\mu$ g/m3 Action Level (as Cd)" As Cadmium compounds [RR-00559-4]

Cadmium (CAS # 7440-43-9): 5 μg/m3 TWA (See 29 CFR 1910.1027); 2.5 μg/m3 Action Level

#### 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb EPCRA RQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb TPQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): "1000 lb EPCRA RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "1000 lb TPQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

Product Number: 5158 Page 21 of 31



## **Safety Data Sheet**

#### 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): "1000 lb final RQ; 454 kg final RQ" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ

Lead (CAS # 7439-92-1): "10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid met released is >100  $\mu$ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metareleased is >100  $\mu$ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metareleased is >100  $\mu$ m)

Nickel (CAS # 7440-02-0): "100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100  $\mu$ m)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)

Silver (CAS # 7440-22-4): "1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm); 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm)" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): 1 lb final RQ; 0.454 kg final RQ

Silver (CAS # 7440-22-4): 1000 lb final

#### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Antimony Trioxide (CAS # 1309-64-4): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of the chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of tha chemical's infrastructure, listed under Chemical Category N010)

Beryllium Basic Acetate (CAS # 19049-40-2): "0.1 % de minimis concentration (includes any unique chemical substance that contains Beryllium as pa that chemical's infrastructure, listed under Chemical Category N050)" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): 0.1 % de minimis concentration (includes any unique chemical substance that contains Beryllium as par that chemical's infrastructure, listed under Chemical Category N050)

Lead (CAS # 7439-92-1): "100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)" As Lea [7439-92-1]

Lead (CAS # 7439-92-1): "100 lb RT" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "not eligible for the de minimis exemption" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "not eligible for the de minimis exemption, listed under Chemical Category N420" As Inorganic lead compounds [RR-00538-10] "not eligible for the de minimis exemption" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): 100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)

Lead (CAS # 7439-92-1): not eligible for the de minimis exemption

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration (includes any unique chemical substance that contains Nickel as part of that chemical's infrastructure, listed under Chemical Category N495)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration" As Nickel [7440-02-0]

Product Number: 5158 Page 22 of 31



## **Safety Data Sheet**

#### 15.5. Massachusetts Right-to-Know Substance List

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Present

Lead (CAS # 7439-92-1): "Teratogen" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): Teratogen

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): "Carcinogen; Extraordinarily hazardous" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous

Silver (CAS # 7440-22-4): "Present" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): "Present" As Thallium [7440-28-0]

Thallium (CAS # 7440-28-0): Present

Tin (CAS # 7440-31-5): Present

Arsenic (CAS # 7440-38-2): "Carcinogen; Extraordinarily hazardous" As Arsenic [7440-38-2]

Arsenic (CAS # 7440-38-2): Carcinogen; Extraordinarily hazardous Cadmium (CAS # 7440-43-9): Carcinogen; Extraordinarily hazardous

Cobalt (CAS # 7440-48-4): "Present" As Cobalt [7440-48-4]

Cobalt (CAS # 7440-48-4): Present

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present

Hydrofluoric Acid (CAS # 7664-39-3): "Extraordinarily hazardous" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): "Extraordinarily hazardous" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Selenium (CAS # 7782-49-2): "Present" As Selenium [7782-49-2]

Selenium (CAS # 7782-49-2): Present

Product Number: 5158 Page 23 of 31

## **Safety Data Sheet**

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Environmental hazard

Antimony Trioxide (CAS # 1309-64-4): Present

Beryllium Basic Acetate (CAS # 19049-40-2): "Environmental hazard" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): "Present" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): Environmental hazard

Beryllium Basic Acetate (CAS # 19049-40-2): Present

Lead (CAS # 7439-92-1): "Environmental hazard" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "Environmental hazard" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "Present" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "Present" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Molybdenum (CAS # 7439-98-7): Present

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Environmental hazard; Special hazardous substance" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "Present" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present

Silver (CAS # 7440-22-4): "Environmental hazard" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): "Present" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): Environmental hazard

Silver (CAS # 7440-22-4): Present

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium [7440-28-0]

Thallium (CAS # 7440-28-0): "Environmental hazard" As Thallium compounds [RR-00575-4]

Thallium (C

Product Number: 5158 Page 24 of 31



## **Safety Data Sheet**

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Antimony Trioxide (CAS # 1309-64-4): "carcinogen" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "sn 0149" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "sn 2223" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): carcinogen

Antimony Trioxide (CAS # 1309-64-4): sn 0149

Antimony Trioxide (CAS # 1309-64-4): sn 2223

Antimony Trioxide (CAS # 1309-64-4): SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Beryllium Basic Acetate (CAS # 19049-40-2): "carcinogen" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): "SN 2163 500 lb TPQ (Category Code N050. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): "sn 2163" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): carcinogen

Beryllium Basic Acetate (CAS # 19049-40-2): sn 2163

Beryllium Basic Acetate (CAS # 19049-40-2): SN 2163 500 lb TPQ (Category Code N050. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Lead (CAS # 7439-92-1): "carcinogen" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "carcinogen; teratogen" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "SN 1096 500 lb TPQ" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "sn 1096" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "SN 2266 500 lb TPQ (Category Code N420. Includes any unique chemical substance that contains the named metal as par of that chemical structure)" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "sn 2266" As Lead compounds [

Product Number: 5158 Page 25 of 31

## **Safety Data Sheet**

#### 15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): "0.13 µg/day NSRL (inhalation)" As Antimony(III) oxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "carcinogen, 10/1/1990" As Antimony(III) oxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 0.13 µg/day NSRL (inhalation)

Antimony Trioxide (CAS # 1309-64-4): carcinogen, 10/1/1990

Beryllium Basic Acetate (CAS # 19049-40-2): "carcinogen, 10/1/1987" As Beryllium compounds [RR-00557-2]

Beryllium Basic Acetate (CAS # 19049-40-2): carcinogen, 10/1/1987

Lead (CAS # 7439-92-1): "15 μg/day NSRL (oral)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "carcinogen, 10/1/1992" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "carcinogen, 10/1/1992" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "developmental toxicity, 2/27/1987" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "female reproductive toxicity 2/27/87" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "male reproductive toxicity, 2/27/87" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 15 μg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987

Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Nickel (CAS # 7440-02-0): "carcinogen, 10/1/1989 (metallic)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Arsenic (CAS # 7440-38-2): "0.06 µg/day NSRL (inhalation); 10 µg/day NSRL (except inhalation)" As Arsenic [7440-38-2]

Arsenic (CAS # 7440-38-2): "0.06 μg/day NSRL (inhalation, listed under Arsenic); 10 μg/day NSRL (except inhalation, listed under Arsenic)" As Arseni

inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): "carcinogen, 2/27/1987" As Arsenic, inorganic compounds [RR-00065-7]

Arsenic (CAS # 7440-38-2): 0.06 µg/day NSRL (inhalation); 10 µg/day NSRL (except inhalation)

Cadmium (CAS # 7440-43-9): "carcinogen, 10/1/1987" As Cadm

Product Number: 5158 Page 26 of 31



## Safety Data Sheet

#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony trioxide [1309-64-4] (DSL)

Antimony Trioxide (CAS # 1309-64-4): Present (DSL)

Iron (CAS # 7439-89-6): "Present" As Iron [7439-89-6] (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Lead (CAS # 7439-92-1): "Present" As Lead [7439-92-1] (DSL)

Lead (CAS # 7439-92-1): Present (DSL)

Molybdenum (CAS # 7439-98-7): Present (DSL)

Nickel (CAS # 7440-02-0): "Present" As Nickel [7440-02-0] (DSL)

Nickel (CAS # 7440-02-0): Present (DSL)

Silver (CAS # 7440-22-4): "Present" As Silver [7440-22-4] (DSL)

Silver (CAS # 7440-22-4): Present (DSL)

Thallium (CAS # 7440-28-0): "Present" As Thallium [7440-28-0] (DSL)

Thallium (CAS # 7440-28-0): Present (DSL)

Tin (CAS # 7440-31-5): Present (DSL)

Arsenic (CAS # 7440-38-2): "Present" As Arsenic [7440-38-2] (DSL)

Arsenic (CAS # 7440-38-2): Present (DSL)

Cadmium (CAS # 7440-43-9): Present (DSL)

Cobalt (CAS # 7440-48-4): "Present" As Cobalt [7440-48-4] (DSL)

Cobalt (CAS # 7440-48-4): Present (DSL)

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8] (DSL)

Copper (CAS # 7440-50-8): Present (DSL)

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6] (DSL)

Zinc (CAS # 7440-66-6): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): "Present" As Hydrogen fluoride [7664-39-3] (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2] (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Selenium (CAS # 7782-49-2): "Present" As Selenium [7782-49-2] (DSL)

Selenium (CAS # 7782-49-2): Present (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present" As Aluminum nitrate [13473-90-0] (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present" As Chromium nitrate [13548-38-4] (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Product Number: 5158 Page 27 of 31



## **Safety Data Sheet**

Antimony Trioxide (CAS # 1309-64-4): "Present (ACTIVE)" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Present (ACTIVE)

Iron (CAS # 7439-89-6): "Present (ACTIVE)" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): Present (ACTIVE)

Lead (CAS # 7439-92-1): "Present (ACTIVE)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): Present (ACTIVE)

Molybdenum (CAS # 7439-98-7): Present (ACTIVE)

Nickel (CAS # 7440-02-0): "Present (ACTIVE)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): Present (ACTIVE)

Silver (CAS # 7440-22-4): "Present (ACTIVE)" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): Present (ACTIVE)

Thallium (CAS # 7440-28-0): "Present (ACTIVE)" As Thallium [7440-28-0]

Thallium (CAS # 7440-28-0): Present (ACTIVE)

Tin (CAS # 7440-31-5): Present (ACTIVE)

Arsenic (CAS # 7440-38-2): "Present (ACTIVE)" As Arsenic [7440-38-2]

Arsenic (CAS # 7440-38-2): Present (ACTIVE)
Cadmium (CAS # 7440-43-9): Present (ACTIVE)

Cobalt (CAS # 7440-48-4): "Present (ACTIVE)" As Cobalt [7440-48-4]

Cobalt (CAS # 7440-48-4): Present (ACTIVE)

Copper (CAS # 7440-50-8): "Present (ACTIVE)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present (ACTIVE)

Zinc (CAS # 7440-66-6): "Present (ACTIVE)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): "Present (ACTIVE)" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): "Present (ACTIVE)" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present (ACTIVE)

Selenium (CAS # 7782-49-2): "Present (ACTIVE)" As Selenium [7782-49-2]

Selenium (CAS # 7782-49-2): Present (ACTIVE)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present (ACTIVE)" As Nitric acid, aluminum salt (3:1) [13473-90-0]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present (ACTIVE)" A

Product Number: 5158 Page 28 of 31



## 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Antimony Trioxide (CAS # 1309-64-4): "215-175-0" As Diantimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 215-175-0

Antimony Trioxide (CAS # 1309-64-4): 215-474-6

Beryllium Basic Acetate (CAS # 19049-40-2): 242-785-4

Iron (CAS # 7439-89-6): "231-096-4" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): 231-096-4

Lead (CAS # 7439-92-1): "231-100-4" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 231-100-4

Molybdenum (CAS # 7439-98-7): 231-107-2

Nickel (CAS # 7440-02-0): "231-111-4" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): 231-111-4

Silver (CAS # 7440-22-4): "231-131-3" As Silver [7440-22-4]

Silver (CAS # 7440-22-4): 231-131-3

Thallium (CAS # 7440-28-0): "231-138-1" As Thallium [7440-28-0]

Thallium (CAS # 7440-28-0): 231-138-1

Tin (CAS # 7440-31-5): 231-141-8

Arsenic (CAS # 7440-38-2): "231-148-6" As Arsenic [7440-38-2]

Arsenic (CAS # 7440-38-2): 231-148-6 Cadmium (CAS # 7440-43-9): 231-152-8

Cobalt (CAS # 7440-48-4): "231-158-0" As Cobalt [7440-48-4]

Cobalt (CAS # 7440-48-4): 231-158-0

Copper (CAS # 7440-50-8): "231-159-6" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 231-159-6

Zinc (CAS # 7440-66-6): "231-175-3" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): 231-175-3

Hydrofluoric Acid (CAS # 7664-39-3): "231-634-8" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Nitric Acid (CAS # 7697-37-2): "231-714-2" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

Selenium (CAS # 7782-49-2): "231-957-4" As Selenium [7782-49-2]

Selenium (CAS # 7782-49-2): 231-957-4

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "236-751-8" As Aluminium nitrate [13473-90-0]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "236-921-1" As Chromium trinitrate [13548-38-4]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1

Product Number: 5158 Page 29 of 31



### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

Causes severe skin burns and eye damage. Causes serious eye irritation.

Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). If eye irritation persists: Get medical attention. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

#### 16.3. National Fire Protection Association (NFPA) Rating

Health: 1 Flammability: 0

Reactivity: 0

Special Hazard:



#### 16.4. Document Revision

Last Revision Date: 2025-01-29

Product Number: 5158 Page 30 of 31

### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 5158 Page 31 of 31