

Classified According to OSHA Hazard Communication Standard (HCS)

#### **SECTION 1: Identification**

#### 1.1. Product Identifier

Trade Name or Designation: Ethanol, 80% (v/v)

Product Number: R2919800

Other Identifying Product Numbers: R2919800-1A, R2919800-20F, R2919800-4A

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

#### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

#### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

#### **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

|                         |             | Hazard      |  |
|-------------------------|-------------|-------------|--|
| Hazard Class            | Category    | Statements: | Precautionary Statements:  |
| Eye Damage / Irritation | Category 2B | H320        | P264, P305+P351+P338, P337+P313  |
| Flammable Liquids       | Category 2  | H225        | P210, P233, P240, P241, P242, P243, P280, P303+P361+P353, P370+P378, P403+P235, P501 |

Product Number: R2919800 Page 1 of 12



#### 2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

#### **Hazard Statements:**

| Hazard Number | Hazard Statement                   |
|---------------|------------------------------------|
| H225          | Highly flammable liquid and vapor. |
| H320          | Causes eye irritation.             |

#### **Precautionary Statements:**

| Precautionary Number | Precautionary Statement   |  |
|----------------------|---|--|
| P210                 | Keep away from heat, sparks and open flame. No smoking.   |  |
| P233                 | Keep container tightly closed.  |  |
| P240                 | Ground container and receiving equipment.   |  |
| P241                 | Use explosion-proof equipment.  |  |
| P242                 | Use only non-sparking tools.  |  |
| P243                 | Take precautionary measures against static discharge.   |  |
| P264                 | Wash arms, hands and face thoroughly after handling.  |  |
| P280                 | Wear protective gloves and eye protection.  |  |
| P303+P361+P353       | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.            |  |
| P305+P351+P338       | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy |  |
|                      | to do. Continue rinsing.  |  |
| P337+P313            | If eye irritation persists: Get medical attention.  |  |
| P370+P378            | In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.                                |  |
| P403+P235            | Store in a well-ventilated place. Keep cool.  |  |
| P501                 | Dispose of contents in accordance with local, state, federal and international regulations.             |  |

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: R2919800 Page 2 of 12



### **SECTION 3: Composition / Information on Ingredients**

#### 3.1. Components of Substance or Mixture

| Chemical Name | Formula                            | Molecular Weight CAS Number | Weight% |
|---------------|------------------------------------|-----------------------------|---------|
| Ethyl Alcohol | CH <sub>3</sub> CH <sub>2</sub> OH | 46.06 g/mol 64-17-5         | 73.37   |
| Water         | H <sub>2</sub> O                   | 18.01 g/mol 7732-18-5       | 26.63   |

#### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking

which can lead to secondary infections and dermatitis.

Ingestion: Dilute immediately with water or milk. Induce vomiting. Call a physician.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

DANGER! Flammable. Keep away from heat, sparks and open flames. Keep container closed. Use with adequate ventilation. Avoid prolonged breathing of vapor or contact with skin. Harmful if swallowed. Do not pipet by mouth. If ingested, induce vomiting until vomitus is clear. Call a physician. Wash areas of contact with plenty of water. For eyes, get medical attention. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis.

### 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Wash areas of contact with soap and water for at least 15 minutes. Call a physician if irritation develops. Dilute immediately with water or milk. Induce vomiting. Call a physician.

### **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Use water spray, dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Water spray can be used to dilute spills to non-flammable mixtures.

#### 5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire.

Product Number: R2919800 Page 3 of 12

#### 5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

#### **SECTION 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection.

#### 6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

### **SECTION 7: Handling and Storage**

#### 7.1. Precautions for Safe Handling and Storage Conditions

Store in a well-ventilated place. Keep cool. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

Product Number: R2919800 Page 4 of 12



### **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

| Chemical Name           | Limit Type | Country | Exposure Limit  | Information Source  |
|-------------------------|------------|---------|---|---|
| Ethyl Alcohol (64-17-5) | TWA        | USA     | "1000 ppm TWA; 1900<br>mg/m³ TWA" As Ethyl<br>alcohol [64-17-5] | U.S OSHA - Final PELs - Time<br>Weighted Averages (TWAs)                  |
| Ethyl Alcohol (64-17-5) | TLV-STEL   | USA     | "1000 ppm STEL" As<br>Ethanol [64-17-5]                         | ACGIH - Threshold Limit Values - Short<br>Term Exposure Limits (TLV-STEL) |
| Ethyl Alcohol (64-17-5) | TWA        | USA     | 1000 ppm TWA; 1900<br>mg/m³ TWA                                 | U.S OSHA - Final PELs - Time<br>Weighted Averages (TWAs)                  |
| Ethyl Alcohol (64-17-5) | TLV-STEL   | USA     | 1000 ppm STEL   | ACGIH - Threshold Limit Values - Short<br>Term Exposure Limits (TLV-STEL) |
| Ethyl Alcohol (64-17-5) | TLV-STEL   | USA     | "1000 ppm STEL" As<br>Ethanol [64-17-5]                         | ACGIH - Threshold Limit Values - Short<br>Term Exposure Limits (TLV-STEL) |
| Ethyl Alcohol (64-17-5) | TWA        | USA     | "1000 ppm TWA; 1900<br>mg/m³ TWA" As Ethyl<br>alcohol [64-17-5] | U.S OSHA - Final PELs - Time<br>Weighted Averages (TWAs)                  |
| Ethyl Alcohol (64-17-5) | TLV-STEL   | USA     | "1000 ppm STEL" As<br>Ethanol [64-17-5]                         | ACGIH - Threshold Limit Values - Short<br>Term Exposure Limits (TLV-STEL) |
| Ethyl Alcohol (64-17-5) | TWA        | USA     | "1000 ppm TWA; 1900<br>mg/m³ TWA" As Ethyl<br>alcohol [64-17-5] | U.S OSHA - Final PELs - Time<br>Weighted Averages (TWAs)                  |
| Ethyl Alcohol (64-17-5) | TLV-STEL   | USA     | "1000 ppm STEL" As<br>Ethanol [64-17-5]                         | ACGIH - Threshold Limit Values - Short<br>Term Exposure Limits (TLV-STEL) |
| Ethyl Alcohol (64-17-5) | TWA        | USA     | "1000 ppm TWA; 1900<br>mg/m³ TWA" As Ethyl<br>alcohol [64-17-5] | U.S OSHA - Final PELs - Time<br>Weighted Averages (TWAs)                  |

#### 8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne

Exposure Limit.

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic

vapor cartridge may be worn.

**Skin Protection:** Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

Product Number: R2919800 Page 5 of 12



#### 8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves. Safety glasses or goggles.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Characteristic alcohol

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: -59°C

Initial Boiling Point/Range: 79°C - 79°C

Flash Point: 20°C

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.86

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

**Explosive Properties:** Data not available.

Oxidizing Properties: Data not available.

### **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

Product Number: R2919800 Page 6 of 12

#### 10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Oxidizers, Platinum, Sodium, Potassium Dioxide, Bromine Pentafluoride, Acetyl Bromide, Acetyl Chloride, heat, sparks, open flame.

#### 10.4. Hazardous Decomposition Products

Will not occur.

### **SECTION 11: Toxicological Information**

#### 11.1. Information on Toxicological Effects

#### **Acute Toxicity - Oral Exposure:**

Not applicable.

#### **Acute Toxicity - Dermal Exposure:**

Not applicable.

#### **Acute Toxicity - Inhalation Exposure:**

Not applicable.

#### **Acute Toxicity - Other Information:**

LD50, Oral, Rat: (Ethanol) 7060 mg/kg. Details of toxic effects not reported other than lethal dose value.

#### **Skin Corrosion and Irritation:**

Not applicable.

#### Serious Eye Damage and Irritation:

Causes eye irritation. Wash arms, hands and face thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

#### **Respiratory Sensitization:**

Not applicable.

#### Skin Sensitization:

Not applicable.

#### **Germ Cell Mutagenicity:**

Not applicable.

#### Carcinogenicity:

Not applicable.

#### **Reproductive Toxicity:**

Not applicable.

#### **Specific Target Organ Toxicity from Single Exposure:**

Not applicable.

#### **Specific Target Organ Toxicity from Repeated Exposure:**

Not applicable.

#### **Aspiration Hazard:**

Not applicable.

Product Number: R2919800 Page 7 of 12

#### **Additional Toxicology Information:**

Data not available.

### **SECTION 12: Ecological Information**

#### 12.1. Ecotoxicity

Not applicable.

#### 12.2. Persistence and Degradability

Data not available.

#### 12.3. Bioaccumulative Potential

Data not available.

#### 12.4. Mobility in Soil

Data not available.

#### 12.5. Other Adverse Ecological Effects

Data not available.

### **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

### **SECTION 14: Transportation Information**

#### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1 L, 4 L, 20 L

UN Number: UN1170

**Proper Shipping Name:** Ethanol Solutions

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



Product Number: R2919800 Page 8 of 12



14.2. Transportation by Air - International Air Transport Association (IATA)

**Sizes:** 1 L, 4 L, 20 L

UN Number: UN1170

Proper Shipping Name: Ethanol Solution

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

**Sizes:** 1 L, 4 L, 20 L

UN Number: UN1170

Proper Shipping Name: ETHANOL SOLUTIONS

Hazard Class: 3

Packing Group: ||

Hazard Label(s):



### **SECTION 15: Regulatory Information**

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

  Not listed.
- 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

  Not listed
- 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

  Not listed.

15.5. Massachusetts Right-to-Know Substance List

Ethyl Alcohol (CAS # 64-17-5): "Teratogen" As Ethyl alcohol [64-17-5]

Ethyl Alcohol (CAS # 64-17-5): Teratogen

Product Number: R2919800 Page 9 of 12



# RICCA CHEMICAL COMPANY®

## **Safety Data Sheet**

#### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethyl Alcohol (CAS # 64-17-5): "Present" As Denatured alcohols [RR-00113-8]

Ethyl Alcohol (CAS # 64-17-5): "Present" As Ethanol [64-17-5]

Ethyl Alcohol (CAS # 64-17-5): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

#### 15.7. New Jersey Worker and Community Right-to-Know Components

Ethyl Alcohol (CAS # 64-17-5): "carcinogen

Ethyl Alcohol (CAS # 64-17-5): "sn 0844" As Ethyl alcohol [64-17-5]

Ethyl Alcohol (CAS # 64-17-5): carcinogen

Ethyl Alcohol (CAS # 64-17-5): flammable - third degree

Ethyl Alcohol (CAS # 64-17-5): mutagen

Ethyl Alcohol (CAS # 64-17-5): sn 0844

Ethyl Alcohol (CAS # 64-17-5): teratogen

Ethyl Alcohol (CAS # 64-17-5): teratogen" As Ethyl alcohol [64-17-5]

#### 15.8. California Proposition 65

Ethyl Alcohol (CAS # 64-17-5): "carcinogen, 7/1/1988 (when associated with alcohol abuse)

Ethyl Alcohol (CAS # 64-17-5): "developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)" As Alcoholic beverages [RR-01961-4]

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 4/29/2011

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 4/29/2011" As Alcoholic beverages [RR-01961-4]

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 7/1/1988 (when associated with alcohol abuse)

Ethyl Alcohol (CAS # 64-17-5): developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)

#### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ethyl Alcohol (CAS # 64-17-5): "Present" As Alcohols, C1-3 [68475-56-9] (NDSL)

Ethyl Alcohol (CAS # 64-17-5): "Present" As Ethyl alcohol [64-17-5] (DSL)

Ethyl Alcohol (CAS # 64-17-5): Present (DSL)

Ethyl Alcohol (CAS # 64-17-5): Present (NDSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

#### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Ethyl Alcohol (CAS # 64-17-5): "Present (ACTIVE)" As Ethanol [64-17-5]

Ethyl Alcohol (CAS # 64-17-5): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present [XU] (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present [XU] (ACTIVE)

Product Number: R2919800 Page 10 of 12



# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Ethyl Alcohol (CAS # 64-17-5): "200-578-6" As Ethanol [64-17-5]

Ethyl Alcohol (CAS # 64-17-5): 200-578-6 Ethyl Alcohol (CAS # 64-17-5): 270-649-4

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

#### **SECTION 16: Other Information**

#### 16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Causes eye irritation.

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents in accordance with local, state, federal and international regulations.

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

### 16.3. National Fire Protection Association (NFPA) Rating

Health: 1
Flammability: 3
Reactivity: 0
Special Hazard:



Product Number: R2919800 Page 11 of 12



#### 16.4. Document Revision

Last Revision Date: 2025-04-02

#### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R2919800 Page 12 of 12