

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Potassium Hydroxide, 0.5N in 10% ethanol

Product Number: R6265300
Other Identifying Product Numbers: R6265300-1A

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 2	H319	P264, P280, P305+P351+P338, P337+P313

Product Number: R6265300 Page 1 of 12



2.2. GHS Label Elements

Pictograms:





Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement	
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	

Precautionary Statements:

Precautionary Number	Precautionary Statement		
P260	Do not breathe fumes, mist, vapors, or spray.		
P264	Wash arms, hands and face thoroughly after handling.		
P280	Wear protective gloves and eye protection.		
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and		
	easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER or physician.		
P321	Specific treatment (Wash areas of contact with water immediately).		
P337+P313	If eye irritation persists: Get medical attention.		
P363	Wash contaminated clothing before reuse.		
P405	Store locked up.		
P501	Dispose of contents in accordance with local, state, federal and international regulations.		

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: R6265300 Page 2 of 12



RICCA CHEMICAL COMPANY®

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	89.54
Ethyl Alcohol	CH₃CH₂OH	46.06 g/mol	64-17-5	7.97
Potassium Hydroxide	КОН	56.10 g/mol	1310-58-3	2.47
Ethylenediamine	NH ₂ CH ₂ CH ₂ NH ₂	60.09 g/mol	107-15-3	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness,

and pain.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a

physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye irritation. Mildly corrosive. Wash areas of contact with water. Call a physician if irritation develops. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain. CHRONIC EFFECTS / CARCINOGENICITY: Prolonged or repeated exposure may cause dermatitis.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

Product Number: R6265300 Page 3 of 12

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Collect liquid and dilute with water. Neutralize with dilute acid solutions. Release to drain if local regulations allow. For larger spills, absorb with suitable material (vermiculite, clay, etc.). Collect the solid residue and save for disposal. CERCLA reportable quantity for Potassium Hydroxide is 1,000 pounds.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Do not mix with acids.

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ethylenediamine (107-15-3)	TWA	USA	10 ppm TWA; 25 mg/m ³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ethylenediamine (107-15-3)	TLV-TWA	USA	10 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Potassium Hydroxide (1310-58-3)	TLV-Ceiling	USA	2 mg/m³ Ceiling	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
Ethyl Alcohol (64-17-5)	TWA	USA	1000 ppm TWA; 1900 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ethyl Alcohol (64-17-5)	TLV-STEL	USA	1000 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Product Number: R6265300 Page 4 of 12



Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, colorless liquid

Physical State: Liquid

Odor: Slightly alcoholic

Odor Threshold: Data not available.

pH: Basic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.99

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

Product Number: R6265300 Page 5 of 12

10.3. Conditions to Avoid and Incompatible Materials

Strong acids, chlorinated Hydrocarbons, Acetone, metals such as aluminum, tin and zinc.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: (Potassium Hydroxide) 273 mg/kg, details of toxic effects not reported other than lethal dose value. Irritation data: skin, rabbit: 50 mg/24H severe; eye, rabbit: 1 mg/24H moderate. Investigated as a mutagen (Potassium Hydroxide). LD50, Oral, Rat: (Ethanol) 7060 mg/kg, details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Product Number: R6265300 Page 6 of 12

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: R6265300 Page 7 of 12



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1L

UN Number: UN3266

Proper Shipping Name: Corrosive Liquid, Basic, Inorganic, n.o.s. (Potassium Hydroxide)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1L

UN Number: UN3266

Proper Shipping Name: Corrosive Liquid, Basic, Inorganic, n.o.s. (Potassium Hydroxide)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1L

UN Number: UN3266

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (potassium hydroxide)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: R6265300 Page 8 of 12

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Ethylenediamine (CAS # 107-15-3): 10000 lb TPQ Ethylenediamine (CAS # 107-15-3): 5000 lb EPCRA RQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ethylenediamine (CAS # 107-15-3): 5000 lb final RQ; 2270 kg final RQ Potassium Hydroxide (CAS # 1310-58-3): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Not listed.

15.5. Massachusetts Right-to-Know Substance List

Ethylenediamine (CAS # 107-15-3): Extraordinarily hazardous Potassium Hydroxide (CAS # 1310-58-3): Present Ethyl Alcohol (CAS # 64-17-5): Teratogen

15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethylenediamine (CAS # 107-15-3): Environmental hazard

Ethylenediamine (CAS # 107-15-3): Present

Potassium Hydroxide (CAS # 1310-58-3): Environmental hazard

Potassium Hydroxide (CAS # 1310-58-3): Present

Ethyl Alcohol (CAS # 64-17-5): "Present" As Denatured alcohols [RR-00113-8]

Ethyl Alcohol (CAS # 64-17-5): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Ethylenediamine (CAS # 107-15-3): corrosive

Ethylenediamine (CAS # 107-15-3): sn 0875

Ethylenediamine (CAS # 107-15-3): SN 0875 500 lb TPQ

Potassium Hydroxide (CAS # 1310-58-3): corrosive

Potassium Hydroxide (CAS # 1310-58-3): sn 1571

Ethyl Alcohol (CAS # 64-17-5): carcinogen; flammable - third degree; mutagen; teratogen

Ethyl Alcohol (CAS # 64-17-5): sn 0844

Product Number: R6265300 Page 9 of 12

15.8. California Proposition 65

Ethyl Alcohol (CAS # 64-17-5): "carcinogen, 7/1/1988 (when associated with alcohol abuse); carcinogen, 4/29/2011" As Alcoholic beverages [RR-01961-4]

Ethyl Alcohol (CAS # 64-17-5): "developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)" As Alcoholic beverages [RR-01961-4]

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 7/1/1988 (when associated with alcohol abuse); carcinogen, 4/29/2011 Ethyl Alcohol (CAS # 64-17-5): developmental toxicity, 10/1/1987 (listed under Ethyl alcohol in alcoholic beverages)

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ethylenediamine (CAS # 107-15-3): Present (DSL)
Potassium Hydroxide (CAS # 1310-58-3): Present (DSL)
Ethyl Alcohol (CAS # 64-17-5): Present (DSL)
Ethyl Alcohol (CAS # 64-17-5): Present (NDSL)

Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Ethylenediamine (CAS # 107-15-3): Present (ACTIVE)
Ethylenediamine (CAS # 107-15-3): Present [XU] (ACTIVE)
Potassium Hydroxide (CAS # 1310-58-3): Present (ACTIVE)
Ethyl Alcohol (CAS # 64-17-5): Present (ACTIVE)
Water (CAS # 7732-18-5): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Ethylenediamine (CAS # 107-15-3): "EC No. 430-750-8" As Urea 4 [RR-18314-2] Ethylenediamine (CAS # 107-15-3): 203-468-6 Potassium Hydroxide (CAS # 1310-58-3): 215-181-3

Ethyl Alcohol (CAS # 64-17-5): 200-578-6 Ethyl Alcohol (CAS # 64-17-5): 270-649-4

Water (CAS # 7732-18-5): 231-791-2

Product Number: R6265300 Page **10** of **12**



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Causes severe skin burns and eye damage. Causes serious eye irritation.

Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). If eye irritation persists: Get medical attention. Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 1
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2023-09-11

Product Number: R6265300 Page 11 of 12

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: R6265300 Page **12** of **12**