

Classified According to OSHA Hazard Communication Standard (HCS)

### **SECTION 1: Identification**

#### 1.1. Product Identifier

**Trade Name or Designation:** Molybdenum ICP Standard, 100 ppm Mo in H<sub>2</sub>O

**Product Number: RPMO100W** 

Other Identifying Product Numbers: RPMO100W-100N, RPMO100W-500N

#### 1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

### 1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

**Telephone:** 888-467-4222

### 1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

### **SECTION 2: Hazard(s) Identification**

#### 2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

This product is not categorized as hazardous in any GHS hazard class.

#### 2.2. GHS Label Elements

Pictograms: None Required.

Signal Word: None Required.

Product Number: RPMO100W Page 1 of 11



Hazard Statements: None Required.

Precautionary Statements: None Required.

### 2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

## **SECTION 3: Composition / Information on Ingredients**

### 3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	99.97
Ammonium Molybdate	$(NH_4)_2MoO_4$	196.03 g/mol	13106-76-8	< 0.1
Ammonium Hydroxide	NH₄OH	35.04 g/mol	1336-21-6	< 0.1

### **SECTION 4: First-Aid Measures**

#### 4.1. General First Aid Information

**Eye Contact:** May cause irritation, redness, pain, and tearing.

**Inhalation:** Not expected to require first aid. If necessary, remove to fresh air.

**Skin Contact:** May cause irritation, redness, and pain.

**Ingestion:** Dilute with water or milk. Call a physician if necessary.

### 4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause irritation to areas of contact. Wash areas of contact with water. Contact a physician if irritation develops. If ingested, dilute with water and call a physician. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness, and pain.

### 4.3. Medical Attention or Special Treatment Needed

Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Di with water or milk. Call a physician if necessary.

# **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing Media

Use any means suitable for extinguishing surrounding fire.

Product Number: RPMO100W Page 2 of 11

### 5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

### 5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

### **SECTION 6: Accidental Release Measures**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear appropriate PPE for the size and nature of the spill. As a general rule, wear safety glasses and gloves.

### 6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

### **SECTION 7: Handling and Storage**

### 7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMO100W Page 3 of 11



# **SECTION 8: Exposure Controls / Personal Protection**

#### **8.1 Control Parameters**

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Ammonium Molybdate (13106-76-8)	TWA	USA	"5 mg/m³ TWA (as Mo)" As Molybdenum, soluble compounds [RR-00036-2]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Molybdate (13106-76-8)	TLV-TWA	USA	"0.5 mg/m³ TWA (respirable particulate matter, as Mo)" As Molybdenum soluble compounds [RR-00036-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Molybdate (13106-76-8)	TWA	USA	5 mg/m³ TWA (as Mo)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Molybdate (13106-76-8)	TLV-TWA	USA	0.5 mg/m³ TWA (respirable particulate matter, as Mo)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hydroxide (1336-21-6)	TLV-STEL	USA	"35 ppm STEL" As Ammonia [7664-41-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Ammonium Hydroxide (1336-21-6)	TWA	USA	"50 ppm TWA; 35 mg/m <sup>3</sup> TWA" As Ammonia [7664-41-7]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Ammonium Hydroxide (1336-21-6)	TLV-TWA	USA	"25 ppm TWA" As Ammonia [7664-41-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hydroxide (1336-21-6)	TLV-STEL	USA	35 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Ammonium Hydroxide (1336-21-6)	TLV-TWA	USA	25 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Ammonium Hydroxide (1336-21-6)	TWA	USA	50 ppm TWA; 35 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)

### 8.2. Exposure Controls

**Engineering Controls:** No specific controls are needed. Normal room ventilation is adequate.

**Respiratory Protection:** Normal room ventilation is adequate.

**Skin Protection:** Chemical resistant gloves. **Eye Protection:** Safety glasses or goggles.

### 8.3. Personal Protective Equipment

Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: RPMO100W Page 4 of 11



### **SECTION 9: Physical and Chemical Properties**

### 9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: 0.0°C

Initial Boiling Point/Range: 100°C - 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.0

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

**Decomposition Temperature:** Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

# **SECTION 10: Stability and Reactivity**

### 10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

#### 10.2. Possibility of Hazardous Reactions

Data not available.

### 10.3. Conditions to Avoid and Incompatible Materials

Alkali metals.

### 10.4. Hazardous Decomposition Products

Will not occur.

Product Number: RPMO100W Page 5 of 11

## **SECTION 11: Toxicological Information**

### 11.1. Information on Toxicological Effects

**Acute Toxicity - Oral Exposure:** 

Not applicable.

**Acute Toxicity - Dermal Exposure:** 

Not applicable.

**Acute Toxicity - Inhalation Exposure:** 

Not applicable.

**Acute Toxicity - Other Information:** 

LD50, Oral, Rat: (Ammonium Molybdate) no information available from RTECS.

**Skin Corrosion and Irritation:** 

Not applicable.

Serious Eye Damage and Irritation:

Not applicable.

**Respiratory Sensitization:** 

Not applicable.

**Skin Sensitization:** 

Not applicable.

**Germ Cell Mutagenicity:** 

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

**Specific Target Organ Toxicity from Single Exposure:** 

Not applicable.

**Specific Target Organ Toxicity from Repeated Exposure:** 

Not applicable.

**Aspiration Hazard:** 

Not applicable.

**Additional Toxicology Information:** 

Data not available.

# **SECTION 12: Ecological Information**

### 12.1. Ecotoxicity

Not applicable.

Product Number: RPMO100W Page 6 of 11

### 12.2. Persistence and Degradability

Data not available.

### 12.3. Bioaccumulative Potential

Data not available.

### 12.4. Mobility in Soil

Data not available.

### 12.5. Other Adverse Ecological Effects

Data not available.

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste Treatment Methods

Data not available.

### **SECTION 14: Transportation Information**

### 14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.

Product Number: RPMO100W Page 7 of 11

14.2. Transportation by Air - International Air Transport Association (IATA)

Not regulated according to IATA Dangerous Goods Regulations.

14.3 Transportation of Dangerous Goods (TDG, Canada)

Not regulated according to TDG Regulations.

# **SECTION 15: Regulatory Information**

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Ammonium Hydroxide (CAS # 1336-21-6): "100 lb EPCRA RQ" As Ammonia [7664-41-7]

Ammonium Hydroxide (CAS # 1336-21-6): "500 lb TPQ" As Ammonia [7664-41-7]

Ammonium Hydroxide (CAS # 1336-21-6): 100 lb EPCRA RQ

Ammonium Hydroxide (CAS # 1336-21-6): 500 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Ammonium Hydroxide (CAS # 1336-21-6): "1000 lb final RQ; 454 kg final RQ" As Ammonium hydroxide [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): 100 lb final RQ; 45.4 kg final RQ

Ammonium Hydroxide (CAS # 1336-21-6): 1000 lb final RQ; 454 kg final RQ

Product Number: RPMO100W Page 8 of 11



### 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Ammonium Molybdate (CAS # 13106-76-8): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Molybdate (CAS # 13106-76-8): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)
Ammonium Hydroxide (CAS # 1336-21-6): "1.0 % de minimis concentration (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)" As Ammonia [7664-41-7];
"1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Hydroxide (CAS # 1336-21-6): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

Ammonium Hydroxide (CAS # 1336-21-6): 1.0 % de minimis concentration (includes anhydrous Ammonia and aqueous Ammonia from water dissocia Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing)

### 15.5. Massachusetts Right-to-Know Substance List

Ammonium Hydroxide (CAS # 1336-21-6): "Present" As Ammonium hydroxide [1336-21-6] Ammonium Hydroxide (CAS # 1336-21-6): Extraordinarily hazardous (including anhydrous)

Ammonium Hydroxide (CAS # 1336-21-6): Present

### 15.6. Pennsylvania Right-to-Know Hazardous Substances

Ammonium Hydroxide (CAS # 1336-21-6): "Environmental hazard" As Ammonium hydroxide ((NH4)(OH)) [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): "Present" As Ammonium hydroxide ((NH4)(OH)) [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): Environmental hazard

Ammonium Hydroxide (CAS # 1336-21-6): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

### 15.7. New Jersey Worker and Community Right-to-Know Components

Ammonium Molybdate (CAS # 13106-76-8): "sn 0105" As Ammonium molybdate [13106-76-8]

Ammonium Molybdate (CAS # 13106-76-8): sn 0105

Ammonium Hydroxide (CAS # 1336-21-6): "corrosive" As Ammonium hydroxide [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): "SN 0084 500 lb TPQ (The reportable quantity for anhydrous Ammonia is based on 100% of the anhydrous Ammonia. The reportable quantity for aqueous Ammonia is the Ammonia equivalent weight for concentrations of >=20%.)" As Ammonia [7664-41-7]

Ammonium Hydroxide (CAS # 1336-21-6): "sn 0103" As Ammonium hydroxide [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): corrosive

Ammonium Hydroxide (CAS # 1336-21-6): sn 0084

Ammonium Hydroxide (CAS # 1336-21-6): SN 0084 500 lb TPQ (The reportable quantity for anhydrous Ammonia is based on 100% of the anhydrous Ammonia. The reportable quantity for aqueous Ammonia is the Ammonia equivalent weight for concentrations of >=20%.)

Ammonium Hydroxide (CAS # 1336-21-6): sn 0103

### 15.8. California Proposition 65

Not listed.

Product Number: RPMO100W Page 9 of 11

### 15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ammonium Molybdate (CAS # 13106-76-8): "Present" As Ammonium molybdate [13106-76-8] (DSL)

Ammonium Molybdate (CAS # 13106-76-8): Present (DSL)

Ammonium Hydroxide (CAS # 1336-21-6): "Present" As Ammonium hydroxide [1336-21-6] (DSL)

Ammonium Hydroxide (CAS # 1336-21-6): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

### 15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Ammonium Molybdate (CAS # 13106-76-8): "Present (ACTIVE)" As Molybdate (MoO42-), ammonium (1:2), (T-4)- [13106-76-8]

Ammonium Molybdate (CAS # 13106-76-8): Present (ACTIVE)

Ammonium Hydroxide (CAS # 1336-21-6): "Present (ACTIVE)" As Ammonium hydroxide ((NH4)(OH)) [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present (ACTIVE)

# 15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Ammonium Molybdate (CAS # 13106-76-8): "236-031-3" As Ammonium molybdate(VI) [13106-76-8]

Ammonium Molybdate (CAS # 13106-76-8): 236-031-3

Ammonium Hydroxide (CAS # 1336-21-6): "215-647-6" As Ammonia, aqueous solution [1336-21-6]

Ammonium Hydroxide (CAS # 1336-21-6): 215-647-6 Ammonium Hydroxide (CAS # 1336-21-6): 231-635-3

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

### **SECTION 16: Other Information**

### 16.1. Full Text of Hazard Statements and Precautionary Statements

#### 16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.


Biohazardous Infectious Materials Hazard Class: Not Applicable.

Product Number: RPMO100W Page 10 of 11



### 16.3. National Fire Protection Association (NFPA) Rating

Health: 0
Flammability: 0
Reactivity: 0
Special Hazard:



### 16.4. Document Revision

Last Revision Date: 2025-02-02

### **DISCLAIMER**

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMO100W Page 11 of 11