Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Multielement ICP Standard, 5 elements @ 1,000 ppm in 5% HNO₃

Product Number: RPMX016N
Other Identifying Product Numbers: RPMX016N-500N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements:	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406

Product Number: RPMX016N Page 1 of 22



Safety Data Sheet

2.2. GHS Label Elements

Pictograms:





Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H351	Suspected of causing cancer.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical attention.
P310	Immediately call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RPMX016N Page 2 of 22



2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H_2O	18.01 g/mol	7732-18-5	94.58
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	4.91
Antimony Trioxide	Sb ₂ O ₃	291.51 g/mol	1309-64-4	0.12
Zinc	Zn	65.40 g/mol	7440-66-6	0.10
Vanadium	V	50.94 g/mol	7440-62-2	0.10
Copper	Cu	63.54 g/mol	7440-50-8	0.10
Manganese	Mn	54.93 g/mol	7439-96-5	0.10
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and

pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if

necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. Suspected of causing cancer. Caution! Corrosive liquid. Contains a suspected carcinogen. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, g oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call physician if necessary.

Product Number: RPMX016N Page 3 of 22

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMX016N Page 4 of 22



SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.02 mg/m³ TWA (inhalable particulate matter)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RPMX016N Page 5 of 22



Safety Data Sheet

Antinonia Trinciale (4000 04 4)	TI \ / T\A / A	1104	110 00 mag/mg3 T\\\\ \ /:mh = = =	ACCILL Threehold Limit Values Time
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.02 mg/m³ TWA (inhalable particulate matter)" As Antimony trioxide [1309-64-4]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TWA	USA	0.5 mg/m³ TWA (as Sb)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	0.5 mg/m³ TWA (as Sb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TLV-TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Antimony Trioxide (1309-64-4)	TWA	USA	"0.5 mg/m³ TWA (as Sb)" As Antimony compounds [RR-00585-6]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Manganese (7439-96-5)	TLV-TWA	USA	"0.02 mg/m³ TWA (respirable particulate matter); 0.1 mg/m³ TWA (inhalable particulate matter)" As Manganese, elemental [7439-96-5]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (fume)" As Manganese [7439-96-5]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (fume)" As Manganese [7439-96-5]	U.S OSHA - Final PELs - Ceiling Limits
Manganese (7439-96-5)	TLV-TWA	USA	"0.02 mg/m³ TWA (respirable particulate matter); 0.1 mg/m³ TWA (inhalable particulate matter)" As Manganese, elemental [7439-96-5]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RPMX016N Page 6 of 22



Safety Data Sheet

Manganese (7439-96-5)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(respirable particulate	Weighted Averages (TLV-TWA)
			matter); 0.1 mg/m³ TWA	
			(inhalable particulate	
			matter)" As Manganese,	
Manager (7400,00,5)	DEL Osilias	1104	elemental [7439-96-5]	II C OCIIA Final DELa Cailina
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (fume)" As	U.S OSHA - Final PELs - Ceiling
Managana (7400 00 E)	TI \ / T\\ / A	LICA	Manganese [7439-96-5]	Limits ACGIH - Threshold Limit Values - Time
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m³ TWA (respirable	
			particulate matter); 0.1	Weighted Averages (TLV-TWA)
			mg/m³ TWA (inhalable	
Manager (7400 00 F)	DEL Osilia	LICA	particulate matter)	LLC OCHA Final DELa Callina
Manganese (7439-96-5)	PEL-Ceiling	USA	5 mg/m³ Ceiling (fume)	U.S OSHA - Final PELs - Ceiling
Manganaga (7400 06 E)	TI \/ T\\/ \	LICA	"0 02 mg/m3 T\MA	Limits ACGIH - Threshold Limit Values - Time
Manganese (7439-96-5)	TLV-TWA	USA	"0.02 mg/m³ TWA (respirable particulate	
				Weighted Averages (TLV-TWA)
			matter); 0.1 mg/m³ TWA	
			(inhalable particulate	
			matter)" As Manganese,	
(= 100 00 =\	DEL 0 III		elemental [7439-96-5]	110 00114 5: 1551 0 3:
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (fume)" As	U.S OSHA - Final PELs - Ceiling
/= /=\			Manganese [7439-96-5]	Limits
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (fume)" As	U.S OSHA - Final PELs - Ceiling
			Manganese [7439-96-5]	Limits
Manganese (7439-96-5)	TLV-TWA	USA	"0.02 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
			(respirable particulate	Weighted Averages (TLV-TWA)
			matter); 0.1 mg/m ³ TWA	
			(inhalable particulate	
			matter)" As Manganese,	
			elemental [7439-96-5]	
Manganese (7439-96-5)	PEL-Ceiling	USA	"5 mg/m³ Ceiling (as Mn)"	U.S OSHA - Final PELs - Ceiling
			As Manganese compounds	Limits
			[RR-00602-0]	
Manganese (7439-96-5)	TLV-TWA	USA	0.02 mg/m ³ TWA (respirable	ACGIH - Threshold Limit Values - Time
			particulate matter, as Mn);	Weighted Averages (TLV-TWA)
			0.1 mg/m ³ TWA (inhalable	
			particulate matter, as Mn)	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)

Product Number: RPMX016N Page 7 of 22



Safety Data Sheet

Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)" As Copper [7440-50-8]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)" As Copper [7440-50-8]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As Copper [7440-50-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)" As Copper [7440-50-8]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As Copper [7440-50-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As Copper [7440-50-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)" As Copper [7440-50-8]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)" As Copper [7440-50-8]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As Copper [7440-50-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	0.1 mg/m³ TWA (fume); 1 mg/m³ TWA (dust and mist)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m³ TWA (fume)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and mist, as Cu)" As Copper compounds [RR-00595-8]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Vanadium (7440-62-2)	PEL-Ceiling	USA	"0.5 mg/m³ Ceiling (respirable dust, as V2O5); 0.1 mg/m³ Ceiling (fume, as V2O5)" As Vanadium [7440-62-2]	U.S OSHA - Final PELs - Ceiling Limits

Product Number: RPMX016N Page 8 of 22



Safety Data Sheet

Vanadium (7440-62-2)	PEL-Ceiling	USA	"0.5 mg/m³ Ceiling	U.S OSHA - Final PELs - Ceiling
	•		(respirable dust, as V2O5);	Limits
			0.1 mg/m³ Ceiling (fume, as	
			V2O5)" As Vanadium	
			[7440-62-2]	
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m³ Ceiling	U.S OSHA - Final PELs - Ceiling
			(respirable dust, as V2O5);	Limits
			0.1 mg/m³ Ceiling (fume, as	
			V2O5)	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values -
				Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m ³ TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

Product Number: RPMX016N Page 9 of 22



Safety Data Sheet

Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As Hydrogen fluoride	ACGIH - Threshold Limit Values - Ceilings (TLV-C)
			[7664-39-3]	Gennigs (TEV-G)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
,			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
, ,			• •	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
, ,			• •	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
, ,				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
, ,			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	

Product Number: RPMX016N Page 10 of 22



Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: RPMX016N Page 11 of 22



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Green liquid Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.04

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders.

10.4. Hazardous Decomposition Products

Will not occur.

Product Number: RPMX016N Page 12 of 22

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value. LD50, Oral, Rat: 9 gm/kg (Manganese), details of toxic effects not reported other than lethal dose value. Manganese is investigated as a tumorigen. LD50, Oral, Rat: (Antimony Trioxide) >34600 mg/kg, behavioral and skin effects noted. Antimony Trioxide is investigated as a tumorigen.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Product Number: RPMX016N Page 13 of 22

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: RPMX016N Page 14 of 22



SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RPMX016N Page 15 of 22

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb EPCRA RQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb TPQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): "1000 lb EPCRA RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "1000 lb TPQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Antimony Trioxide (CAS # 1309-64-4): "1000 lb final RQ; 454 kg final RQ" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 1000 lb final RQ; 454 kg final RQ

Copper (CAS # 7440-50-8): "5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solic metal released is >100 μ m); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solic metal released is >100 μ m)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Zinc (CAS # 7440-66-6): "454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metaleleased is >100 μ m); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metaleleased is >100 μ m)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid me released is $>100 \mu m$); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb final RQ; 45.4 kg final RQ" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): "1000 lb final RQ; 454 kg final RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

Product Number: RPMX016N Page 16 of 22



Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Antimony Trioxide (CAS # 1309-64-4): "1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of the chemical's infrastructure, listed under Chemical Category N010)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): 1.0 % de minimis concentration (includes any unique chemical substance that contains Antimony as part of tha chemical's infrastructure, listed under Chemical Category N010)

Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration (includes any unique chemical substance that contains Manganese as part of that chemical's infrastructure, listed under Chemical Category N450)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "1.0 % de minimis concentration" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): 1.0 % de minimis concentration

Copper (CAS # 7440-50-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Copper as part of that chemical's infrastructure except for CAS numbers 147-14-8, 1328-53-6, or 14302-13-7, or copper phthalocyanine compounds that are substituted with only

Hydrogen and/or Bromine and/or Chlorine that meet the molecular structure specified within the regulation, listed under Chemical Category N100)" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): "1.0 % de minimis concentration" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 1.0 % de minimis concentration

Vanadium (CAS # 7440-62-2): "1.0 % de minimis concentration (except when contained in an alloy)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): 1.0 % de minimis concentration (except when contained in an alloy)

Zinc (CAS # 7440-66-6): "1.0 % de minimis concentration (dust or fume only)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): "1.0 % de minimis concentration (includes any unique chemical substance that contains Zinc as part of that chemical's infrastructure, listed under Chemical Category N982)" As Zinc compounds [RR-00578-7]

Zinc (CAS

15.5. Massachusetts Right-to-Know Substance List

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Present

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): Present

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present

Vanadium (CAS # 7440-62-2): "Present (dust and fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): Present (dust and fume) Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present

Hydrofluoric Acid (CAS # 7664-39-3): "Extraordinarily hazardous" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): "Extraordinarily hazardous" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Product Number: RPMX016N Page 17 of 22

Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Environmental hazard" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Environmental hazard

Antimony Trioxide (CAS # 1309-64-4): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Copper (CAS # 7440-50-8): "Environmental hazard (dust; fume; metal)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "Environmental hazard" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): "Present (dust; fume; metal)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "Present" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): Environmental hazard (dust; fume; metal)

Copper (CAS # 7440-50-8): Present (dust; fume; metal)

Vanadium (CAS # 7440-62-2): "Environmental hazard (dust; fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): "Present (dust; fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): Environmental hazard (dust; fume)

Vanadium (CAS # 7440-62-2): Present (dust; fume)

Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): "Present" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): Environmental hazard

Zinc (CAS # 7440-66-6): Present

Hydrofluoric Acid (CAS # 7664-39-3): "Environmental hazard" As Hydrofluoric acid [7664-39-

Product Number: RPMX016N Page 18 of 22



15.7. New Jersey Worker and Community Right-to-Know Components

Antimony Trioxide (CAS # 1309-64-4): "carcinogen" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "sn 0149" As Antimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): "sn 2223" As Antimony compounds [RR-00585-6]

Antimony Trioxide (CAS # 1309-64-4): carcinogen

Antimony Trioxide (CAS # 1309-64-4): sn 0149

Antimony Trioxide (CAS # 1309-64-4): sn 2223

Antimony Trioxide (CAS # 1309-64-4): SN 2223 500 lb TPQ (Category Code N010. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Manganese (CAS # 7439-96-5): "flammable - third degree" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "SN 1155 500 lb TPQ" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "sn 1155" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "SN 2324 500 lb TPQ (Category Code N450. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "sn 2324" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): flammable - third degree

Manganese (CAS # 7439-96-5): sn 1155

Manganese (CAS # 7439-96-5): SN 1155 500 lb TPQ

Copper (CAS # 7440-50-8): "SN 0528 500 lb TPQ" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "sn 0528" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "SN 2215 500 lb TPQ (except C.I. Pigment Blue 15 (CAS 147-14-8), C.I. Pigment Green 7 (CAS 1328-53-6), and C.I.

Pigment Green 36 (CAS 14302-13-7), and Copper phthalocyanine compounds that are substituted with only Hydrogen, and/or Chlorine, and/or

Bromine, Category Code N100. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Copper compounds [RR-00595-8]

С

15.8. California Proposition 65

Antimony Trioxide (CAS # 1309-64-4): "0.13 µg/day NSRL (inhalation)" As Antimony(III) oxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): "carcinogen, 10/1/1990" As Antimony(III) oxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 0.13 µg/day NSRL (inhalation)

Antimony Trioxide (CAS # 1309-64-4): carcinogen, 10/1/1990

Product Number: RPMX016N Page 19 of 22



15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Antimony Trioxide (CAS # 1309-64-4): "Present" As Antimony trioxide [1309-64-4] (DSL)

Antimony Trioxide (CAS # 1309-64-4): Present (DSL)

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5] (DSL)

Manganese (CAS # 7439-96-5): Present (DSL)

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8] (DSL)

Copper (CAS # 7440-50-8): Present (DSL)

Vanadium (CAS # 7440-62-2): "Present" As Vanadium [7440-62-2] (DSL)

Vanadium (CAS # 7440-62-2): Present (DSL)

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6] (DSL)

Zinc (CAS # 7440-66-6): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): "Present" As Hydrogen fluoride [7664-39-3] (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2] (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Antimony Trioxide (CAS # 1309-64-4): "Present (ACTIVE)" As Antimony oxide (Sb2O3) [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): Present (ACTIVE)

Manganese (CAS # 7439-96-5): "Present (ACTIVE)" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): Present (ACTIVE)

Copper (CAS # 7440-50-8): "Present (ACTIVE)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present (ACTIVE)

Vanadium (CAS # 7440-62-2): "Present (ACTIVE)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): Present (ACTIVE)

Zinc (CAS # 7440-66-6): "Present (ACTIVE)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): "Present (ACTIVE)" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): "Present (ACTIVE)" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present (ACTIVE)

Product Number: RPMX016N Page 20 of 22

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Antimony Trioxide (CAS # 1309-64-4): "215-175-0" As Diantimony trioxide [1309-64-4]

Antimony Trioxide (CAS # 1309-64-4): 215-175-0 Antimony Trioxide (CAS # 1309-64-4): 215-474-6

Manganese (CAS # 7439-96-5): "231-105-1" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): 231-105-1

Copper (CAS # 7440-50-8): "231-159-6" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 231-159-6

Vanadium (CAS # 7440-62-2): "231-171-1" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): 231-171-1

Zinc (CAS # 7440-66-6): "231-175-3" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): 231-175-3

Hydrofluoric Acid (CAS # 7664-39-3): "231-634-8" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Nitric Acid (CAS # 7697-37-2): "231-714-2" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. Suspected of causing cancer.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RPMX016N Page 21 of 22



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2025-02-01

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMX016N Page 22 of 22