

Safety Data Sheet

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Mixed ICP Standard
 1000 ppm Na, 960 ppm SO₄, 500 ppm Ca, 50 ppm Mg, 300 ppm U, 20 ppm V in 5% HNO₃

Product Number: RPMX081N

Other Identifying Product Numbers: RPMX081N-500N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company
Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300
 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

Hazard Class	Category	Hazard Statements:	Precautionary Statements:
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P310, P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406

Safety Data Sheet

2.2. GHS Label Elements

Pictograms:



Signal Word: **Danger**

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water.).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H ₂ O	18.01 g/mol	7732-18-5	94.03
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	5.45
Sodium Carbonate	Na ₂ CO ₃	105.98 g/mol	497-19-8	0.22
Ammonium Sulfate	(NH ₄) ₂ SO ₄	132.13 g/mol	7783-20-2	0.13
Calcium Carbonate	CaCO ₃	100.09 g/mol	471-34-1	0.12
Uranium Oxide	UO ₃	286.02 g/mol	1344-58-7	< 0.1
Magnesium	Mg	24.30 g/mol	7439-95-4	< 0.1
Vanadium	V	50.94 g/mol	7440-62-2	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage. CAUTION! Corrosive liquid. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

Safety Data Sheet

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Keep out of direct sunlight and away from heat, water, and incompatible materials.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Uranium Oxide (1344-58-7)	TWA	USA	"0.25 mg/m ³ TWA (as U)" As Uranium, insoluble compounds [RR-00045-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	"0.2 mg/m ³ TWA (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TWA	USA	0.25 mg/m ³ TWA (as U)	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	"0.6 mg/m ³ STEL (as U)" As Uranium soluble and insoluble compounds [RR-00617-7]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Uranium Oxide (1344-58-7)	TLV-TWA	USA	0.2 mg/m ³ TWA (as U)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Uranium Oxide (1344-58-7)	TLV-STEL	USA	0.6 mg/m ³ STEL (as U)	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Calcium Carbonate (471-34-1)	TWA	USA	"15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)" As Calcium carbonate [1317-65-3]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Vanadium (7440-62-2)	PEL-Ceiling	USA	"0.5 mg/m ³ Ceiling (respirable dust, as V ₂ O ₅); 0.1 mg/m ³ Ceiling (fume, as V ₂ O ₅)" As Vanadium [7440-62-2]	U.S. - OSHA - Final PELs - Ceiling Limits

Safety Data Sheet

Vanadium (7440-62-2)	PEL-Ceiling	USA	"0.5 mg/m ³ Ceiling (respirable dust, as V ₂ O ₅); 0.1 mg/m ³ Ceiling (fume, as V ₂ O ₅)" As Vanadium [7440-62-2]	U.S. - OSHA - Final PELs - Ceiling Limits
Vanadium (7440-62-2)	PEL-Ceiling	USA	0.5 mg/m ³ Ceiling (respirable dust, as V ₂ O ₅); 0.1 mg/m ³ Ceiling (fume, as V ₂ O ₅)	U.S. - OSHA - Final PELs - Ceiling Limits
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m ³ TWA	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)

Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid [7697-37-2]	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³ TWA" As Nitric acid [7697-37-2]	U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: Data not available.

Initial Boiling Point/Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.03

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container.

10.4. Hazardous Decomposition Products

Will not occur.



Safety Data Sheet

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Safety Data Sheet

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



Safety Data Sheet

14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: III

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): "1000 lb EPCRA RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "1000 lb TPQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Nitric Acid (CAS # 7697-37-2): "1000 lb final RQ; 454 kg final RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

Safety Data Sheet

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Vanadium (CAS # 7440-62-2): "1.0 % de minimis concentration (except when contained in an alloy)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): 1.0 % de minimis concentration (except when contained in an alloy)

Nitric Acid (CAS # 7697-37-2): "1.0 % de minimis concentration" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Ammonium Sulfate (CAS # 7783-20-2): "1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)" As Aqueous ammonia from water dissociable ammonium salts and other sources [RR-47925-4]

Ammonium Sulfate (CAS # 7783-20-2): 1.0 % de minimis concentration (10% of total aqueous Ammonia is reportable under this listing)

15.5. Massachusetts Right-to-Know Substance List

Calcium Carbonate (CAS # 471-34-1): "Present (including dust)" As Calcium carbonate [1317-65-3]

Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): Present

Vanadium (CAS # 7440-62-2): "Present (dust and fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): Present (dust and fume)

Nitric Acid (CAS # 7697-37-2): "Extraordinarily hazardous" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Ammonium Sulfate (CAS # 7783-20-2): "Present" As Ammonium sulfate [7783-20-2]

Ammonium Sulfate (CAS # 7783-20-2): Present

15.6. Pennsylvania Right-to-Know Hazardous Substances

Calcium Carbonate (CAS # 471-34-1): "Present" As Limestone [1317-65-3]

Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): Present

Vanadium (CAS # 7440-62-2): "Environmental hazard (dust; fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): "Present (dust; fume)" As Vanadium [7440-62-2]

Vanadium (CAS # 7440-62-2): Environmental hazard (dust; fume)

Vanadium (CAS # 7440-62-2): Present (dust; fume)

Nitric Acid (CAS # 7697-37-2): "Environmental hazard" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Ammonium Sulfate (CAS # 7783-20-2): "Environmental hazard" As Sulfuric acid, diammonium salt [7783-20-2]

Ammonium Sulfate (CAS # 7783-20-2): "Present" As Sulfuric acid, diammonium salt [7783-20-2]

Ammonium Sulfate (CAS # 7783-20-2): Environmental hazard

Ammonium Sulfate (CAS # 7783-20-2): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Calcium Carbonate (CAS # 471-34-1): "sn 4001" As Calcium carbonate [1317-65-3]
Magnesium (CAS # 7439-95-4): "sn 1136" As Magnesium [7439-95-4]
Magnesium (CAS # 7439-95-4): sn 1136
Vanadium (CAS # 7440-62-2): "SN 3762 500 lb TPQ (except when contained in an alloy)" As Vanadium [7440-62-2]
Vanadium (CAS # 7440-62-2): "sn 3762" As Vanadium [7440-62-2]
Vanadium (CAS # 7440-62-2): sn 3762
Vanadium (CAS # 7440-62-2): SN 3762 500 lb TPQ (except when contained in an alloy)
Nitric Acid (CAS # 7697-37-2): "corrosive; reactive - second degree" As Nitric acid [7697-37-2]
Nitric Acid (CAS # 7697-37-2): "SN 1356 500 lb TPQ" As Nitric acid [7697-37-2]
Nitric Acid (CAS # 7697-37-2): "sn 1356" As Nitric acid [7697-37-2]
Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree
Nitric Acid (CAS # 7697-37-2): sn 1356
Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ
Nitric Acid (CAS # 7697-37-2): sn 3722
Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Uranium Oxide (CAS # 1344-58-7): Present (DSL)
Calcium Carbonate (CAS # 471-34-1): "Present" As Calcium carbonate [1317-65-3] (NDSL)
Calcium Carbonate (CAS # 471-34-1): "Present" As Carbonic acid, calcium salt (1:1) [471-34-1] (DSL)
Calcium Carbonate (CAS # 471-34-1): Present (DSL)
Sodium Carbonate (CAS # 497-19-8): "Present" As Sodium carbonate [497-19-8] (DSL)
Sodium Carbonate (CAS # 497-19-8): Present (DSL)
Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4] (DSL)
Magnesium (CAS # 7439-95-4): Present (DSL)
Vanadium (CAS # 7440-62-2): "Present" As Vanadium [7440-62-2] (DSL)
Vanadium (CAS # 7440-62-2): Present (DSL)
Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2] (DSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)
Water (CAS # 7732-18-5): Present (DSL)
Ammonium Sulfate (CAS # 7783-20-2): "Present" As Ammonium sulfate [7783-20-2] (DSL)
Ammonium Sulfate (CAS # 7783-20-2): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.



Safety Data Sheet

Uranium Oxide (CAS # 1344-58-7): Present (ACTIVE)
Calcium Carbonate (CAS # 471-34-1): "Present (ACTIVE)" As Carbonic acid, calcium salt (1:1) [471-34-1]
Calcium Carbonate (CAS # 471-34-1): Present (ACTIVE)
Sodium Carbonate (CAS # 497-19-8): "Present (ACTIVE)" As Carbonic acid sodium salt (1:2) [497-19-8]
Sodium Carbonate (CAS # 497-19-8): Present (ACTIVE)
Magnesium (CAS # 7439-95-4): "Present (ACTIVE)" As Magnesium [7439-95-4]
Magnesium (CAS # 7439-95-4): Present (ACTIVE)
Vanadium (CAS # 7440-62-2): "Present (ACTIVE)" As Vanadium [7440-62-2]
Vanadium (CAS # 7440-62-2): Present (ACTIVE)
Nitric Acid (CAS # 7697-37-2): "Present (ACTIVE)" As Nitric acid [7697-37-2]
Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)
Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]
Water (CAS # 7732-18-5): Present (ACTIVE)
Ammonium Sulfate (CAS # 7783-20-2): "Present (ACTIVE)" As Sulfuric acid ammonium salt (1:2) [7783-20-2]
Ammonium Sulfate (CAS # 7783-20-2): Present (ACTIVE)

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Uranium Oxide (CAS # 1344-58-7): 215-701-9
Calcium Carbonate (CAS # 471-34-1): "207-439-9" As Calcium carbonate [471-34-1]
Calcium Carbonate (CAS # 471-34-1): 207-439-9
Sodium Carbonate (CAS # 497-19-8): "207-838-8" As Disodium carbonate [497-19-8]
Sodium Carbonate (CAS # 497-19-8): 207-838-8
Sodium Carbonate (CAS # 497-19-8): 231-420-4
Magnesium (CAS # 7439-95-4): "231-104-6" As Magnesium [7439-95-4]
Magnesium (CAS # 7439-95-4): 231-104-6
Vanadium (CAS # 7440-62-2): "231-171-1" As Vanadium [7440-62-2]
Vanadium (CAS # 7440-62-2): 231-171-1
Nitric Acid (CAS # 7697-37-2): "231-714-2" As Nitric acid [7697-37-2]
Nitric Acid (CAS # 7697-37-2): 231-714-2
Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]
Water (CAS # 7732-18-5): 231-791-2
Ammonium Sulfate (CAS # 7783-20-2): "231-984-1" As Ammonium sulphate [7783-20-2]
Ammonium Sulfate (CAS # 7783-20-2): 231-984-1

Safety Data Sheet

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water.). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health:	2
Flammability:	0
Reactivity:	0
Special Hazard:	



16.4. Document Revision

Last Revision Date: 2025-02-02

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.