Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Mixed ICP Std: 1000 ppm Ca/Mg,600 ppm Sr/K,400 ppm Ba, 50ppm P,20 ppm Fe, 4 ppm Mn,2 ppm 2

Product Number: RPMX116N
Other Identifying Product Numbers: RPMX116N-500N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| | | Hazard | |
|-----------------------------|------------|-------------|--|
| Hazard Class | Category | Statements: | Precautionary Statements: |
| Skin Corrosion / Irritation | Category 1 | H314 | P260, P264, P280, P301+P330+P331, |
| | | | P303+P361+P353, P363, P304+P340, P310, |
| | | | P321, P305+P351+P338, P405, P501 |
| Eye Damage / Irritation | Category 1 | H318 | P280, P305+P351+P338, P310 |
| Corrosive to Metals | Category 1 | H290 | P234, P390, P406 |

Product Number: RPMX116N Page 1 of 21



2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Hazard Statements:

| Hazard Number | Hazard Statement |
|----------------------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

Precautionary Statements:

| Precautionary Number | Precautionary Statement | | |
|----------------------|---|--|--|
| P234 | Keep only in original container. | | |
| P260 | Do not breathe fumes, mist, vapors, or spray. | | |
| P264 | Wash arms, hands and face thoroughly after handling. | | |
| P280 | Wear protective gloves and eye protection. | | |
| P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. | | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. | | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy | | |
| | to do. Continue rinsing. | | |
| P310 | Immediately call a POISON CENTER or physician. | | |
| P321 | Specific treatment (Wash areas of contact with water immediately). | | |
| P363 | Wash contaminated clothing before reuse. | | |
| P390 | Absorb spillage to prevent material damage. | | |
| P405 | Store locked up. | | |
| P406 | Store in corrosive resistant container with a resistant inner liner. | | |
| P501 | Dispose of contents in accordance with local, state, federal and international regulations. | | |

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: RPMX116N Page 2 of 21



SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number | Weight% |
|-------------------------------|--|------------------|------------|---------|
| Water | H₂O | 18.01 g/mol | 7732-18-5 | 96.45 |
| Nitric Acid | HNO₃ | 63.01 g/mol | 7697-37-2 | 2.89 |
| Calcium Carbonate | CaCO ₃ | 100.09 g/mol | 471-34-1 | 0.24 |
| Strontium Nitrate | Sr(NO ₃) ₂ | 211.62 g/mol | 10042-76-9 | 0.14 |
| Potassium Carbonate | K ₂ CO ₃ | 138.20 g/mol | 584-08-7 | 0.10 |
| Magnesium | Mg | 24.30 g/mol | 7439-95-4 | 0.10 |
| Barium Nitrate | Ba(NO ₃) ₂ | 261.33 g/mol | 10022-31-8 | < 0.1 |
| Ammonium Dihydrogen Phosphate | NH ₄ H ₂ PO ₄ | 97.99 g/mol | 7722-76-1 | < 0.1 |
| Iron | Fe | 55.84 g/mol | 7439-89-6 | < 0.1 |
| Manganese | Mn | 54.93 g/mol | 7439-96-5 | < 0.1 |
| Zinc | Zn | 65.40 g/mol | 7440-66-6 | < 0.1 |
| Lead | Pb | 207.2 g/mol | 7439-92-1 | < 0.1 |

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Causes severe skin burns and eye damage. Causes serious eye damage.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing i difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Product Number: RPMX116N Page 3 of 21

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Cover the spill with Sodium Carbonate or a soda ash-slaked lime mixture (50:50). Mix and add water to form slurry. Decant the liquid to the drain with excess water. Treat the solid residue as normal refuse. Wash site with soda ash solution. Always dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMX116N Page 4 of 21



SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|------------------------------|------------|---------|---|--|
| Barium Nitrate (10022-31-8) | TLV-TWA | USA | "0.5 mg/m³ TWA (as Ba)" As Barium soluble compounds [RR-00049-7] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Barium Nitrate (10022-31-8) | TWA | USA | "0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba)" As Barium, soluble compounds [RR-00049-7] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Barium Nitrate (10022-31-8) | TLV-TWA | USA | 0.5 mg/m ³ TWA (as Ba) | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Barium Nitrate (10022-31-8) | TWA | USA | 0.5 mg/m³ TWA (regulated under CAS 7440-39-3, as Ba) | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Calcium Carbonate (471-34-1) | TWA | USA | "15 mg/m³ TWA (total dust); 5 mg/m³ TWA (respirable fraction)" As Calcium carbonate [1317-65-3] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Lead (7439-92-1) | PEL | USA | "30 μg/m³ Action Level (See 29 CFR 1910.1025); 50 μg/m³ TWA" As Lead [7439-92-1] | U.S OSHA - Specifically Regulated Chemicals with PELs |
| Lead (7439-92-1) | TLV-TWA | USA | "0.05 mg/m³ TWA" As Lead [7439-92-1] | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Lead (7439-92-1) | TWA | USA | "50 μg/m³ TWA" As Lead [7439-92-1] | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Lead (7439-92-1) | TLV-TWA | USA | 0.05 mg/m³ TWA | ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA) |
| Lead (7439-92-1) | TWA | USA | 50 μg/m³ TWA | U.S OSHA - Final PELs - Time Weighted Averages (TWAs) |
| Lead (7439-92-1) | PEL | USA | 30 μg/m³ Action Level (See 29 CFR 1910.1025); 50 μg/m³ TWA | U.S OSHA - Specifically Regulated Chemicals with PELs |

Product Number: RPMX116N Page 5 of 21



Safety Data Sheet

| Lead (7439-92-1) | PEL | USA | "30 μg/m³ Action Level (See | U.S OSHA - Specifically Regulated |
|-----------------------|-------------|-----|--|---------------------------------------|
| | | | 29 CFR 1910.1025, as Pb); | Chemicals with PELs |
| | | | 50 μg/m³ TWA (as Pb)" As | |
| | | | Lead, inorganic compounds | |
| | | | [RR-00538-9] | |
| Lead (7439-92-1) | TLV-TWA | USA | "0.05 mg/m3 TWA (as Pb)" | ACGIH - Threshold Limit Values - Time |
| | | | As Lead inorganic | Weighted Averages (TLV-TWA) |
| | | | compounds [RR-00538-9] | |
| Lead (7439-92-1) | TWA | USA | "50 μg/m³ TWA (as Pb)" As | U.S OSHA - Final PELs - Time |
| | | | Lead, inorganic compounds | Weighted Averages (TWAs) |
| | | | [RR-00538-9] | |
| Manganese (7439-96-5) | TLV-TWA | USA | "0.02 mg/m³ TWA | ACGIH - Threshold Limit Values - Time |
| | | | (respirable particulate | Weighted Averages (TLV-TWA) |
| | | | matter); 0.1 mg/m ³ TWA | |
| | | | (inhalable particulate | |
| | | | matter)" As Manganese, | |
| | | | elemental [7439-96-5] | |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (fume)" As | U.S OSHA - Final PELs - Ceiling |
| | | | Manganese [7439-96-5] | Limits |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (fume)" As | U.S OSHA - Final PELs - Ceiling |
| | | | Manganese [7439-96-5] | Limits |
| Manganese (7439-96-5) | TLV-TWA | USA | "0.02 mg/m ³ TWA | ACGIH - Threshold Limit Values - Time |
| | | | (respirable particulate | Weighted Averages (TLV-TWA) |
| | | | matter); 0.1 mg/m ³ TWA | |
| | | | (inhalable particulate | |
| | | | matter)" As Manganese, | |
| | | | elemental [7439-96-5] | |
| Manganese (7439-96-5) | TLV-TWA | USA | "0.02 mg/m³ TWA | ACGIH - Threshold Limit Values - Time |
| | | | (respirable particulate | Weighted Averages (TLV-TWA) |
| | | | matter); 0.1 mg/m ³ TWA | |
| | | | (inhalable particulate | |
| | | | matter)" As Manganese, | |
| | | | elemental [7439-96-5] | |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (fume)" As | U.S OSHA - Final PELs - Ceiling |
| | | | Manganese [7439-96-5] | Limits |
| Manganese (7439-96-5) | TLV-TWA | USA | 0.02 mg/m ³ TWA (respirable | ACGIH - Threshold Limit Values - Time |
| | | | particulate matter); 0.1 | Weighted Averages (TLV-TWA) |
| | | | mg/m³ TWA (inhalable | |
| | | | particulate matter) | |
| Manganese (7439-96-5) | PEL-Ceiling | USA | 5 mg/m³ Ceiling (fume) | U.S OSHA - Final PELs - Ceiling |
| | | | | Limits |

Product Number: RPMX116N Page 6 of 21



Safety Data Sheet

| Manganese (7439-96-5) | TLV-TWA | USA | "0.02 mg/m³ TWA | ACGIH - Threshold Limit Values - Time |
|-------------------------|-------------|-----|--|--|
| | | | (respirable particulate | Weighted Averages (TLV-TWA) |
| | | | matter); 0.1 mg/m ³ TWA | |
| | | | (inhalable particulate | |
| | | | matter)" As Manganese, | |
| | | | elemental [7439-96-5] | |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (fume)" As | U.S OSHA - Final PELs - Ceiling |
| | | | Manganese [7439-96-5] | Limits |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (fume)" As | U.S OSHA - Final PELs - Ceiling |
| | | | Manganese [7439-96-5] | Limits |
| Manganese (7439-96-5) | TLV-TWA | USA | "0.02 mg/m³ TWA | ACGIH - Threshold Limit Values - Time |
| | | | (respirable particulate | Weighted Averages (TLV-TWA) |
| | | | matter); 0.1 mg/m3 TWA | |
| | | | (inhalable particulate | |
| | | | matter)" As Manganese, | |
| | | | elemental [7439-96-5] | |
| Manganese (7439-96-5) | PEL-Ceiling | USA | "5 mg/m³ Ceiling (as Mn)" | U.S OSHA - Final PELs - Ceiling |
| | | | As Manganese compounds | Limits |
| | | | [RR-00602-0] | |
| Manganese (7439-96-5) | TLV-TWA | USA | 0.02 mg/m ³ TWA (respirable | ACGIH - Threshold Limit Values - Time |
| | | | particulate matter, as Mn); | Weighted Averages (TLV-TWA) |
| | | | 0.1 mg/m³ TWA (inhalable | |
| | | | particulate matter, as Mn) | |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| , | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | 4 ppm STEL | ACGIH - Threshold Limit Values - Short |
| | | | | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | 2 ppm TWA | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |

Product Number: RPMX116N Page 7 of 21



Safety Data Sheet

| Nitric Acid (7697-37-2) | TWA | USA | 2 ppm TWA; 5 mg/m ³ TWA | U.S OSHA - Final PELs - Time |
|-------------------------|----------|-----|------------------------------------|--|
| | | | | Weighted Averages (TWAs) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | "2 ppm TWA" As Nitric acid | ACGIH - Threshold Limit Values - Time |
| | | | [7697-37-2] | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | "4 ppm STEL" As Nitric acid | ACGIH - Threshold Limit Values - Short |
| | | | [7697-37-2] | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TWA | USA | "2 ppm TWA; 5 mg/m ³ | U.S OSHA - Final PELs - Time |
| | | | TWA" As Nitric acid | Weighted Averages (TWAs) |
| | | | [7697-37-2] | |

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate. **Respiratory Protection:** No specific controls are needed. Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. **Eye Protection:** Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection.

Product Number: RPMX116N Page 8 of 21

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Clear, colorless

Physical State: Liquid

Odor: Odorless

Odor Threshold: Data not available.

pH: acidic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.05

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

Product Number: RPMX116N Page 9 of 21

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Product Number: RPMX116N Page 10 of 21

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RPMX116N Page 11 of 21



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 500 mL

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead (CAS # 7439-92-1): "30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)" As Lead [7439-92-1] Lead (CAS # 7439-92-1): "30 μg/m3 Action Level (See 29 CFR 1910.1025, as Pb); 50 μg/m3 TWA (See 29 CFR 1910.1025, as Pb)" As Lead, inorgan compounds [RR-00538-9]

Lead (CAS # 7439-92-1): 30 μg/m3 Action Level (See 29 CFR 1910.1025); 50 μg/m3 TWA (See 29 CFR 1910.1025)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): "1000 lb EPCRA RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "1000 lb TPQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

Product Number: RPMX116N Page 12 of 21



Safety Data Sheet

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead (CAS # 7439-92-1): "10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid met released is >100 μ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 10 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metareleased is >100 μ m); 4.54 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metareleased is >100 μ m)

Zinc (CAS # 7440-66-6): "454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): 454 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid me released is $>100 \mu m$); 1000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Nitric Acid (CAS # 7697-37-2): "1000 lb final RQ; 454 kg final RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0] Barium Nitrate (CAS # 10022-31-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)" As Barium compounds [RR-00555-0]; "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (includes any unique chemical substance that contains Barium as part of that chemical's infrastructure except for Barium sulfate CAS 7727-43-7, listed under Chemical Category N040)

Barium Nitrate (CAS # 10022-31-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511) Strontium Nitrate (CAS # 10042-76-9): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Strontium Nitrate (CAS # 10042-76-9): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Lead (CAS # 7439-92-1): "100 lb RT (this lower threshold does not apply to lead when it is contained in stainless steel, brass or bronze alloy)" As Lea [7439-92-1]

Lead (CAS # 7439-92-1): "100 lb RT" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "not eligible for the de minimis exemption" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "not eligible for the de minimis exemption, listed under Chemical Category N420" As Inorganic lead compounds [RR-00538-101] "not eligible for the de minimis exemption" As Lead co

Product Number: RPMX116N Page 13 of 21

15.5. Massachusetts Right-to-Know Substance List

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium nitrate [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): "Present" As Strontium nitrate [10042-76-9]

Strontium Nitrate (CAS # 10042-76-9): Present

Calcium Carbonate (CAS # 471-34-1): "Present (including dust)" As Calcium carbonate [1317-65-3]

Lead (CAS # 7439-92-1): "Teratogen" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): Teratogen

Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): Present

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present

Nitric Acid (CAS # 7697-37-2): "Extraordinarily hazardous" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Product Number: RPMX116N Page 14 of 21



Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Environmental hazard" As Nitric acid, barium salt [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "Present" As Nitric acid, barium salt [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): Environmental hazard

Barium Nitrate (CAS # 10022-31-8): Present

Strontium Nitrate (CAS # 10042-76-9): "Present" As Nitric acid, strontium salt [10042-76-9]

Strontium Nitrate (CAS # 10042-76-9): Present

Calcium Carbonate (CAS # 471-34-1): "Present" As Limestone [1317-65-3]

Lead (CAS # 7439-92-1): "Environmental hazard" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "Environmental hazard" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "Present" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "Present" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): Environmental hazard

Lead (CAS # 7439-92-1): Present

Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): Present

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "Environmental hazard" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): "Present" As Manganese compounds [RR-00602-0]

Manganese (CAS # 7439-96-5): Environmental hazard

Manganese (CAS # 7439-96-5): Present

Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): "Environmental hazard" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): "Present" As Zinc compounds [RR-00578-7]

Zinc (CAS # 7440-66-6): Environmental hazard

Zinc (CAS # 7440-66-6): Present

Nitric Acid (CAS # 7697-37-2): "Environmental hazard" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2]

Nitric Acid (CA

Product Number: RPMX116N Page 15 of 21



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Barium Nitrate (CAS # 10022-31-8): "sn 0186" As Barium nitrate [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Barium compounds [RR-00555-0];

"SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 2146" As Barium compounds [RR-00555-0]

Barium Nitrate (CAS # 10022-31-8): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): "sn 3722" As Nitrate compounds [RR-01770-9]

Barium Nitrate (CAS # 10022-31-8): sn 0186

Barium Nitrate (CAS # 10022-31-8): sn 2146

Barium Nitrate (CAS # 10022-31-8): SN 2146 500 lb TPQ (except Barium sulfate CAS number 7727-43-7, Category Code N040. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

Barium Nitrate (CAS # 10022-31-8): sn 3722

Barium Nitrate (CAS # 10022-31-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Strontium Nitrate (CAS # 10042-76-9): "sn 1743" As Strontium nitrate [10042-76-9]

Strontium Nitrate (CAS # 10042-76-9): "SN 3722 500 lb TPQ (water dissociable, Category Code N511)" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): "sn 3722" As Nitrate compounds [RR-01770-9]

Strontium Nitrate (CAS # 10042-76-9): sn 1743

Strontium Nitrate (CAS # 10042-76-9): sn 3722

Strontium Nitrate (CAS # 10042-76-9): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

Calcium Carbonate (CAS # 471-34-1): "sn 4001" As Calcium carbonate [1317-65-3]

Lead (CAS

15.8. California Proposition 65

Lead (CAS # 7439-92-1): "15 μg/day NSRL (oral)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "carcinogen, 10/1/1992" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "carcinogen, 10/1/1992" As Lead compounds [RR-00630-4]

Lead (CAS # 7439-92-1): "developmental toxicity, 2/27/1987" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "female reproductive toxicity 2/27/87" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): "male reproductive toxicity, 2/27/87" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 15 μg/day NSRL (oral)

Lead (CAS # 7439-92-1): carcinogen, 10/1/1992

Lead (CAS # 7439-92-1): developmental toxicity, 2/27/1987

Lead (CAS # 7439-92-1): female reproductive toxicity 2/27/87

Lead (CAS # 7439-92-1): male reproductive toxicity, 2/27/87

Product Number: RPMX116N Page 16 of 21

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Barium Nitrate (CAS # 10022-31-8): "Present" As Barium nitrate [10022-31-8] (DSL)

Barium Nitrate (CAS # 10022-31-8): Present (DSL)

Strontium Nitrate (CAS # 10042-76-9): "Present" As Strontium nitrate [10042-76-9] (DSL)

Strontium Nitrate (CAS # 10042-76-9): Present (DSL)

Calcium Carbonate (CAS # 471-34-1): "Present" As Calcium carbonate [1317-65-3] (NDSL)

Calcium Carbonate (CAS # 471-34-1): "Present" As Carbonic acid, calcium salt (1:1) [471-34-1] (DSL)

Calcium Carbonate (CAS # 471-34-1): Present (DSL)

Potassium Carbonate (CAS # 584-08-7): "Present" As Potassium carbonate [584-08-7] (DSL)

Potassium Carbonate (CAS # 584-08-7): Present (DSL)

Iron (CAS # 7439-89-6): "Present" As Iron [7439-89-6] (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Lead (CAS # 7439-92-1): "Present" As Lead [7439-92-1] (DSL)

Lead (CAS # 7439-92-1): Present (DSL)

Magnesium (CAS # 7439-95-4): "Present" As Magnesium [7439-95-4] (DSL)

Magnesium (CAS # 7439-95-4): Present (DSL)

Manganese (CAS # 7439-96-5): "Present" As Manganese [7439-96-5] (DSL)

Manganese (CAS # 7439-96-5): Present (DSL)

Zinc (CAS # 7440-66-6): "Present" As Zinc [7440-66-6] (DSL)

Zinc (CAS # 7440-66-6): Present (DSL)

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2] (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Product Number: RPMX116N Page 17 of 21

Safety Data Sheet

Barium Nitrate (CAS # 10022-31-8): "Present (ACTIVE)" As Nitric acid, barium salt (2:1) [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): Present (ACTIVE)

Strontium Nitrate (CAS # 10042-76-9): "Present (ACTIVE)" As Nitric acid, strontium salt (2:1) [10042-76-9]

Strontium Nitrate (CAS # 10042-76-9): Present (ACTIVE)

Calcium Carbonate (CAS # 471-34-1): "Present (ACTIVE)" As Carbonic acid, calcium salt (1:1) [471-34-1]

Calcium Carbonate (CAS # 471-34-1): Present (ACTIVE)

Potassium Carbonate (CAS # 584-08-7): "Present (ACTIVE)" As Carbonic acid, potassium salt (1:2) [584-08-7]

Potassium Carbonate (CAS # 584-08-7): Present (ACTIVE)

Iron (CAS # 7439-89-6): "Present (ACTIVE)" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): Present (ACTIVE)

Lead (CAS # 7439-92-1): "Present (ACTIVE)" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): Present (ACTIVE)

Magnesium (CAS # 7439-95-4): "Present (ACTIVE)" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): Present (ACTIVE)

Manganese (CAS # 7439-96-5): "Present (ACTIVE)" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): Present (ACTIVE)

Zinc (CAS # 7440-66-6): "Present (ACTIVE)" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): "Present (ACTIVE)" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present (ACTIVE)

Product Number: RPMX116N Page 18 of 21

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Barium Nitrate (CAS # 10022-31-8): "233-020-5" As Barium nitrate [10022-31-8]

Barium Nitrate (CAS # 10022-31-8): 233-020-5

Strontium Nitrate (CAS # 10042-76-9): "233-131-9" As Strontium nitrate [10042-76-9]

Strontium Nitrate (CAS # 10042-76-9): 233-131-9

Calcium Carbonate (CAS # 471-34-1): "207-439-9" As Calcium carbonate [471-34-1]

Calcium Carbonate (CAS # 471-34-1): 207-439-9

Potassium Carbonate (CAS # 584-08-7): "209-529-3" As Potassium carbonate [584-08-7]

Potassium Carbonate (CAS # 584-08-7): 209-529-3
Potassium Carbonate (CAS # 584-08-7): 241-378-9

Iron (CAS # 7439-89-6): "231-096-4" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): 231-096-4

Lead (CAS # 7439-92-1): "231-100-4" As Lead [7439-92-1]

Lead (CAS # 7439-92-1): 231-100-4

Magnesium (CAS # 7439-95-4): "231-104-6" As Magnesium [7439-95-4]

Magnesium (CAS # 7439-95-4): 231-104-6

Manganese (CAS # 7439-96-5): "231-105-1" As Manganese [7439-96-5]

Manganese (CAS # 7439-96-5): 231-105-1

Zinc (CAS # 7440-66-6): "231-175-3" As Zinc [7440-66-6]

Zinc (CAS # 7440-66-6): 231-175-3

Nitric Acid (CAS # 7697-37-2): "231-714-2" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 231-714-2

Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): 231-764-5 Ammonium Dihydrogen Phosphate (CAS # 7722-76-1): 233-330-0 Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

Product Number: RPMX116N Page 19 of 21



SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.


16.3. National Fire Protection Association (NFPA) Rating

Health: 1

Flammability: 0

Special Hazard:

Reactivity:



16.4. Document Revision

Last Revision Date: 2025-02-02

Product Number: RPMX116N Page 20 of 21

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMX116N Page 21 of 21