

Classified According to OSHA Hazard Communication Standard (HCS)

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Mixed ICP Standard

10ppm each Al, Cr, Cu, Fe, Ni, W

Product Number: RPMX124N
Other Identifying Product Numbers: RPMX124N-1N

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statements:	Precautionary Statements:
Acute Toxicity - Oral	Category 4	H302	P264, P270, P301+P312, P330, P501
Skin Corrosion / Irritation	Category 1	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Corrosive to Metals	Category 1	H290	P234, P390, P406

Product Number: RPMX124N Page 1 of 21



Safety Data Sheet

2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P234	Keep only in original container.
P260	Do not breathe fumes, mist, vapors, or spray.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves and eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P321	Specific treatment (Wash areas of contact with water immediately).
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RPMX124N Page 2 of 21



2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	92.47
Nitric Acid	HNO ₃	63.01 g/mol	7697-37-2	6.95
Hydrofluoric Acid	HF	20.00 g/mol	7664-39-3	0.55
Aluminum Nitrate Nonahydrate	$AI(NO_3)_3 \cdot 9H_2O$	375.13 g/mol	7784-27-2	< 0.1
Chromium Nitrate Nonahydrate	Cr(NO ₃) ₃ ·9H ₂ O	238.01 g/mol	7789-02-8	< 0.1
Copper	Cu	63.54 g/mol	7440-50-8	< 0.1
Tungsten	W	183.84 g/mol	7440-33-7	< 0.1
Nickel	Ni	58.69 g/mol	7440-02-0	< 0.1
Iron	Fe	55.84 g/mol	7439-89-6	< 0.1

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation, redness, pain, and tearing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. May cause irritation, redness and

pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dilute with water or milk. Do not induce vomiting. Call a physician if

necessary.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Caution! Mildly corrosive liquid. Contains low level of a known carcinogen. Avoid contact with skin, eyes, and clothing. If swallowed, dilute with water and call a physician. Wash areas of contact with plenty of water. EYE CONTACT: May cause irritation, redness, pain, and tearing. SKIN CONTACT: May cause irritation, redness and pain. Contact will discolor skin yellow-brown depending on exposure which will wear off after a period of time.

Product Number: RPMX124N Page 3 of 21

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Irrigate immediately with large quantity of water for at least 15 minutes. Call a physician if irritation develops. Remove to fresh air. Give artificial respiration if necessary. If breathing i difficult, give oxygen. Flush with plenty of water for at least 15 minutes. Call a physician if irritation develops. Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use water or water spray.

5.2. Specific Hazards Arising from the Substance or Mixture

Not combustible, but substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Can react with metals to release flammable hydrogen gas. May react explosively with combustible organic or readily oxidizable materials such as: alcohols, turpentine, charcoal, organic refuse, metal powder, hydrogen sulfide, etc.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Do not flush to sewer. Absorb with suitable material. Containerize for disposal with a hazardous waste disposal facility. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

Product Number: RPMX124N Page 4 of 21



Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1 Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel [7440-02-0]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel [7440-02-0]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel [7440-02-0]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel [7440-02-0]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel [7440-02-0]	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable particulate matter)" As Nickel, elemental [7440-02-0]	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

Product Number: RPMX124N Page 5 of 21



Safety Data Sheet

Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
,			[7440-02-0]	Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	1.5 mg/m ³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Nickel (7440-02-0)	TWA	USA	1 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nickel (7440-02-0)	TLV-TWA	USA	"1.5 mg/m³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Nickel, elemental	
			[7440-02-0]	
Nickel (7440-02-0)	TWA	USA	"1 mg/m³ TWA" As Nickel	U.S OSHA - Final PELs - Time
			[7440-02-0]	Weighted Averages (TWAs)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m3 TWA (respirable	ACGIH - Threshold Limit Values - Time
			particulate matter)" As	Weighted Averages (TLV-TWA)
			Tungsten, metal [7440-33-7]	
Tungsten (7440-33-7)	TLV-TWA	USA	3 mg/m³ TWA (respirable	ACGIH - Threshold Limit Values - Time
			particulate matter)	Weighted Averages (TLV-TWA)
Tungsten (7440-33-7)	TLV-TWA	USA	"3 mg/m³ TWA (in the	ACGIH - Threshold Limit Values - Time
			absence of Cobalt,	Weighted Averages (TLV-TWA)
			respirable particulate matter,	
			as W)" As Tungsten	
			compounds [RR-00616-6]	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)"	Weighted Averages (TWAs)
0 (=110 =0.0)	- 1444		As Copper [7440-50-8]	
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)"	Weighted Averages (TWAs)
0 (7440.50.0)	TI \ / T\A / A	1104	As Copper [7440-50-8]	ACCUL Three hold 1 to 1 Males at Time
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
0 (7440 50 0)	TIA/A	1104	Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)"	Weighted Averages (TWAs)
Conner (7440 FO 0)	TI \ / T\\ / A	1104	As Copper [7440-50-8] "0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
Copper (7440-50-8)	TLV-TWA	USA	• ,	
Copper (7440 E0 9)	TI \/ T\\/ A	LICA	Copper [7440-50-8] "0.2 mg/m³ TWA (fume)" As	Weighted Averages (TLV-TWA) ACGIH - Threshold Limit Values - Time
Copper (7440-50-8)	TLV-TWA	USA	Copper [7440-50-8]	
			00ppei [7440-30-6]	Weighted Averages (TLV-TWA)

Product Number: RPMX124N Page 6 of 21



Safety Data Sheet

Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m3 TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TWA	USA	"0.1 mg/m³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m3 TWA (dust and mist)"	Weighted Averages (TWAs)
			As Copper [7440-50-8]	
Copper (7440-50-8)	TLV-TWA	USA	"0.2 mg/m³ TWA (fume)" As	ACGIH - Threshold Limit Values - Time
			Copper [7440-50-8]	Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TWA	USA	0.1 mg/m ³ TWA (fume); 1	U.S OSHA - Final PELs - Time
			mg/m³ TWA (dust and mist)	Weighted Averages (TWAs)
Copper (7440-50-8)	TLV-TWA	USA	0.2 mg/m ³ TWA (fume)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			mist, as Cu)" As Copper	Weighted Averages (TLV-TWA)
			compounds [RR-00595-8]	
Copper (7440-50-8)	TLV-TWA	USA	"1 mg/m³ TWA (dust and	ACGIH - Threshold Limit Values - Time
			mist, as Cu)" As Copper	Weighted Averages (TLV-TWA)
			compounds [RR-00595-8]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3];	
			"2.5 mg/m³ TWA (as F)" As	
			Fluorides [RR-02792-9]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
,			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	- · · · · ·
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
, , ,	J		Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	÷ , ,

Product Number: RPMX124N Page 7 of 21



Safety Data Sheet

Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	0.5 ppm TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	2 ppm Ceiling (as F)	ACGIH - Threshold Limit Values -
				Ceilings (TLV-C)
Hydrofluoric Acid (7664-39-3)	TWA	USA	3 ppm TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TWA	USA	2.5 mg/m³ TWA (as F)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	2.5 mg/m³ TWA (as F)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
			Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
,			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	, , , , , , , , , , , , , , , , , , ,
Hydrofluoric Acid (7664-39-3)	TLV-Ceiling	USA	"2 ppm Ceiling (as F)" As	ACGIH - Threshold Limit Values -
,	ŭ		Hydrogen fluoride	Ceilings (TLV-C)
			[7664-39-3]	- '
Hydrofluoric Acid (7664-39-3)	TLV-TWA	USA	"0.5 ppm TWA (as F)" As	ACGIH - Threshold Limit Values - Time
			Hydrogen fluoride	Weighted Averages (TLV-TWA)
			[7664-39-3]	
Hydrofluoric Acid (7664-39-3)	TWA	USA	"3 ppm TWA (as F)" As	U.S OSHA - Final PELs - Time
,			Hydrogen fluoride	Weighted Averages (TWAs)
			[7664-39-3]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
,			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
,			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
,			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
, ,			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
, ,			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	J ,

Product Number: RPMX124N Page 8 of 21



Safety Data Sheet

Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
, ,				Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA; 5 mg/m³ TWA	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	"2 ppm TWA" As Nitric acid	ACGIH - Threshold Limit Values - Time
			[7697-37-2]	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TLV-STEL	USA	"4 ppm STEL" As Nitric acid	ACGIH - Threshold Limit Values - Short
			[7697-37-2]	Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TWA	USA	"2 ppm TWA; 5 mg/m ³	U.S OSHA - Final PELs - Time
			TWA" As Nitric acid	Weighted Averages (TWAs)
			[7697-37-2]	
Chromium Nitrate Nonahydrate (7789-(TWA		USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
			Chromium(III) compounds	Weighted Averages (TWAs)
			[RR-03889-1]	

Product Number: RPMX124N Page 9 of 21



Safety Data Sheet

Chromium Nitrate Nonahydrate (7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA	USA	0.5 mg/m³ TWA (as Cr)	U.S OSHA - Final PELs - Time
			Weighted Averages (TWAs)
Chromium Nitrate Nonahydrate (7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	
Chromium Nitrate Nonahydrate (7789-(TWA	USA	"0.5 mg/m³ TWA (as Cr)" As	U.S OSHA - Final PELs - Time
		Chromium(III) compounds	Weighted Averages (TWAs)
		[RR-03889-1]	

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: Normal room ventilation is adequate.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. Chemical resistant gloves. Safety glasses or goggles.

Product Number: RPMX124N Page 10 of 21

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless to slight yellow

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: acidic

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point/Range: Approximately 100°C - Approximately 100°C

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 1.02

Solubility: Miscible

Partition Coefficient: Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

Explosive Properties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container. Strong bases, metallic powders, Carbides, Hydrogen Sulfide, Turpentine and combustible organics.

10.4. Hazardous Decomposition Products

Will not occur.

Product Number: RPMX124N Page 11 of 21

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Harmful if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LDLo, Oral, Human: 430 mg/kg (Nitric Acid), details of toxic effects not reported other than lethal dose value. Nickel is investigated as a tumorigen.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Product Number: RPMX124N Page 12 of 21

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land-Department of Transportation (DOT, United States of America)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



Product Number: RPMX124N Page 13 of 21



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



14.3 Transportation of Dangerous Goods (TDG, Canada)

Sizes: 1L

UN Number: UN3264

Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

Hazard Class: 8

Packing Group: |||

Hazard Label(s):



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb EPCRA RQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb TPQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb EPCRA RQ

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb TPQ

Nitric Acid (CAS # 7697-37-2): "1000 lb EPCRA RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "1000 lb TPQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ

Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

Product Number: RPMX124N Page 14 of 21



15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Nickel (CAS # 7440-02-0): "100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): 100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μ m)

Copper (CAS # 7440-50-8): "5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solic metal released is >100 μ m); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solic metal released is >100 μ m)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 5000 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$); 2270 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is $>100 \mu m$)

Hydrofluoric Acid (CAS # 7664-39-3): "100 lb final RQ; 45.4 kg final RQ" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 100 lb final RQ; 45.4 kg final RQ

Nitric Acid (CAS # 7697-37-2): "1000 lb final RQ; 454 kg final RQ" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration (includes any unique chemical substance that contains Nickel as part of that chemical's infrastructure, listed under Chemical Category N495)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "0.1 % de minimis concentration" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): 0.1 % de minimis concentration

Copper (CAS # 7440-50-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Copper as part of that chemical's infrastructure except for CAS numbers 147-14-8, 1328-53-6, or 14302-13-7, or copper phthalocyanine compounds that are substituted with only Hydrogen and/or Bromine and/or Chlorine that meet the molecular structure specified within the regulation, listed under Chemical Category N100)" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): "1.0 % de minimis concentration" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 1.0 % de minimis concentration

Hydrofluoric Acid (CAS # 7664-39-3): "1.0 % de minimis concentration" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 1.0 % de minimis concentration

Nitric Acid (CAS # 7697-37-2): "1.0 % de minimis concentration" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)" As Nitrate compounds, water dissociable [RR-03804-0]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 1.0 % de minimis concentration (reportable only when in aqueous solution, listed under Chemical Category N511)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "1.0 % de minimis concentration (includes any unique chemical substance that contains Chromiur as part of that chemical's infrastructure except for Chromite ore mined in the Transvaal Region of South Africa and the unreacted ore component of the Chromite ore processing residue (COP

Product Number: RPMX124N Page 15 of 21

15.5. Massachusetts Right-to-Know Substance List

Nickel (CAS # 7440-02-0): "Carcinogen; Extraordinarily hazardous" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): Carcinogen; Extraordinarily hazardous Tungsten (CAS # 7440-33-7): "Present" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): Present

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present

Hydrofluoric Acid (CAS # 7664-39-3): "Extraordinarily hazardous" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Extraordinarily hazardous

Nitric Acid (CAS # 7697-37-2): "Extraordinarily hazardous" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

Product Number: RPMX124N Page 16 of 21



Safety Data Sheet

15.6. Pennsylvania Right-to-Know Hazardous Substances

Nickel (CAS # 7440-02-0): "Environmental hazard" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "Environmental hazard; Special hazardous substance" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "Present" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "Present" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): Environmental hazard

Nickel (CAS # 7440-02-0): Environmental hazard; Special hazardous substance

Nickel (CAS # 7440-02-0): Present

Tungsten (CAS # 7440-33-7): "Present" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): Present

Copper (CAS # 7440-50-8): "Environmental hazard (dust; fume; metal)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "Environmental hazard" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): "Present (dust; fume; metal)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "Present" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): Environmental hazard (dust; fume; metal)

Copper (CAS # 7440-50-8): Present (dust; fume; metal)

Hydrofluoric Acid (CAS # 7664-39-3): "Environmental hazard" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "Present" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Environmental hazard

Hydrofluoric Acid (CAS # 7664-39-3): Present

Nitric Acid (CAS # 7697-37-2): "Environmental hazard" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present

Water (CAS # 7732-18-5): "Present" As Ethyl alcohol and water [RR-00802-6]

Water (CAS # 7732-18-5): Present

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present" As Aluminum soluble salts [RR-00021-5]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Environmental hazard" As Chromium compounds [RR-00634-8]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present" As Chromium compounds [RR-00634-8]

Chromium Nitrate No

Product Number: RPMX124N Page 17 of 21



Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Nickel (CAS # 7440-02-0): "carcinogen" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "carcinogen" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "SN 1341 500 lb TPQ" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "sn 1341" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "SN 2366 500 lb TPQ (Category Code N495. Includes any unique chemical substance that contains the named metal as page 1.00 lb TPQ (Category Code N495). Includes any unique chemical substance that contains the named metal as page 1.00 lb TPQ (Category Code N495).

of that chemical structure)" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): "sn 2366" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen

Nickel (CAS # 7440-02-0): sn 1341

Nickel (CAS # 7440-02-0): SN 1341 500 lb TPQ

Tungsten (CAS # 7440-33-7): "flammable - third degree" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): "sn 1959" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): flammable - third degree

Tungsten (CAS # 7440-33-7): sn 1959

Copper (CAS # 7440-50-8): "SN 0528 500 lb TPQ" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "sn 0528" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): "SN 2215 500 lb TPQ (except C.I. Pigment Blue 15 (CAS 147-14-8), C.I. Pigment Green 7 (CAS 1328-53-6), and C.I.

Pigment Green 36 (CAS 14302-13-7), and Copper phthalocyanine compounds that are substituted with only Hydrogen, and/or Chlorine, and/or

Bromine, Category Code N100. Includes any unique chemical substance that contains the named metal as part of that chemical structure)" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): "sn 2215" As Copper compounds [RR-00595-8]

Copper (CAS # 7440-50-8): sn 0528

Copper (CAS # 7440-50-8): SN 0528 500 lb TPQ

Hydrofluoric Acid (CAS # 7664-39-3): "corrosive" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "SN 3759 100 lb TPQ; SN 1014 100 lb TPQ" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "sn 3759" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): "sn 3759" As Hydrogen fluoride [7664-39-3];

"sn 0936" As Fluorides [RR-02792-9]

Hydrofluori

15.8. California Proposition 65

Nickel (CAS # 7440-02-0): "carcinogen, 10/1/1989 (metallic)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): "carcinogen, 5/7/2004" As Nickel compounds [RR-00800-4]

Nickel (CAS # 7440-02-0): carcinogen, 10/1/1989 (metallic)

Product Number: RPMX124N Page 18 of 21



Safety Data Sheet

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Iron (CAS # 7439-89-6): "Present" As Iron [7439-89-6] (DSL)

Iron (CAS # 7439-89-6): Present (DSL)

Nickel (CAS # 7440-02-0): "Present" As Nickel [7440-02-0] (DSL)

Nickel (CAS # 7440-02-0): Present (DSL)

Tungsten (CAS # 7440-33-7): "Present" As Tungsten [7440-33-7] (DSL)

Tungsten (CAS # 7440-33-7): Present (DSL)

Copper (CAS # 7440-50-8): "Present" As Copper [7440-50-8] (DSL)

Copper (CAS # 7440-50-8): Present (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): "Present" As Hydrogen fluoride [7664-39-3] (DSL)

Hydrofluoric Acid (CAS # 7664-39-3): Present (DSL)

Nitric Acid (CAS # 7697-37-2): "Present" As Nitric acid [7697-37-2] (DSL)

Nitric Acid (CAS # 7697-37-2): Present (DSL)

Water (CAS # 7732-18-5): "Present" As Water [7732-18-5] (DSL)

Water (CAS # 7732-18-5): Present (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present" As Aluminum nitrate [13473-90-0] (DSL)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present" As Chromium nitrate [13548-38-4] (DSL)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

All components of this solution are listed as active on the TSCA Inventory or are mixtures (hydrates) of active items listed on the TSCA Inventory.

Iron (CAS # 7439-89-6): "Present (ACTIVE)" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): Present (ACTIVE)

Nickel (CAS # 7440-02-0): "Present (ACTIVE)" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): Present (ACTIVE)

Tungsten (CAS # 7440-33-7): "Present (ACTIVE)" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): Present (ACTIVE)

Copper (CAS # 7440-50-8): "Present (ACTIVE)" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): Present (ACTIVE)

Hydrofluoric Acid (CAS # 7664-39-3): "Present (ACTIVE)" As Hydrofluoric acid [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): Present (ACTIVE)

Nitric Acid (CAS # 7697-37-2): "Present (ACTIVE)" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): Present (ACTIVE)

Water (CAS # 7732-18-5): "Present (ACTIVE)" As Water [7732-18-5]

Water (CAS # 7732-18-5): Present (ACTIVE)

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "Present (ACTIVE)" As Nitric acid, aluminum salt (3:1) [13473-90-0]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): Present (ACTIVE)

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "Present (ACTIVE)" As Nitric acid, chromium(3+) salt (3:1) [13548-38-4]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): Present (ACTIVE)

Product Number: RPMX124N Page 19 of 21

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Iron (CAS # 7439-89-6): "231-096-4" As Iron [7439-89-6]

Iron (CAS # 7439-89-6): 231-096-4

Nickel (CAS # 7440-02-0): "231-111-4" As Nickel [7440-02-0]

Nickel (CAS # 7440-02-0): 231-111-4

Tungsten (CAS # 7440-33-7): "231-143-9" As Tungsten [7440-33-7]

Tungsten (CAS # 7440-33-7): 231-143-9

Copper (CAS # 7440-50-8): "231-159-6" As Copper [7440-50-8]

Copper (CAS # 7440-50-8): 231-159-6

Hydrofluoric Acid (CAS # 7664-39-3): "231-634-8" As Hydrogen fluoride [7664-39-3]

Hydrofluoric Acid (CAS # 7664-39-3): 231-634-8

Nitric Acid (CAS # 7697-37-2): "231-714-2" As Nitric acid [7697-37-2]

Nitric Acid (CAS # 7697-37-2): 231-714-2

Water (CAS # 7732-18-5): "231-791-2" As Water [7732-18-5]

Water (CAS # 7732-18-5): 231-791-2

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): "236-751-8" As Aluminium nitrate [13473-90-0]

Aluminum Nitrate Nonahydrate (CAS # 7784-27-2): 236-751-8

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): "236-921-1" As Chromium trinitrate [13548-38-4]

Chromium Nitrate Nonahydrate (CAS # 7789-02-8): 236-921-1

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage.

Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: RPMX124N Page 20 of 21



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.


Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2
Flammability: 0
Reactivity: 0
Special Hazard:



16.4. Document Revision

Last Revision Date: 2025-02-02

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: RPMX124N Page 21 of 21