Arlington, TX 76012
Pocomoke City, MD 21851
Batesville, IN 47006
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

## **Product Specification**

Phosphate Buffer Solution, for Chlorine Determination (DPD Methods)

Lot Number: SAMPLE Product Number: 5805

Manufacture Date: N/A

Expiration Date: N/A

Use RICCA Cat. No. 2655, DPD Indicator in this test.

| Name  | CAS#      | Grade           |
|---|-----------|-----------------|
| Water   | 7732-18-5 | ACS/ASTM/USP/EP |
| Potassium Dihydrogen Phosphate                                      | 7778-77-0 | ACS             |
| Sodium Phosphate Dibasic  | 7558-79-4 | ACS             |
| Ethylenediaminetetraacetic Acid (EDTA),<br>Disodium Salt, Dihydrate | 6381-92-6 | ACS             |
| Mercuric Chloride   | 7487-94-7 | ACS             |

| Test                | Specification                        | Result |
|---------------------|--------------------------------------|--------|
| Appearance          | Colorless liquid                     | N/A    |
| Suitability for Use | Pink to red color in the presence of | N/A    |
|                     | Chlorine                             |        |

| Specification             | Reference          |
|---------------------------|--------------------|
| Phosphate Buffer Solution | APHA (4500-ClO2 D) |
| Phosphate Buffer Solution | APHA (4500-C1 F)   |
| Phosphate Buffer Solution | APHA (4500-Cl G)   |
| Phosphate Buffer Solution | EPA (330.4)        |
| Phosphate Buffer Solution | EPA (330.5)        |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 5805-1      | 4 L natural poly    | 24 months                       |
| 5805-16     | 500 mL natural poly | 24 months                       |
| 5805-32     | 1 L natural poly    | 24 months                       |

Recommended Storage: 15°C - 30°C (59°F - 86°F)

Version: 1.3 Lot Number: SAMPLE Product Number: 5805 Page 1 of 2

