Arlington, TX 76012
Pocomoke City, MD 21851
Batesville, IN 47006
http://www.riccachemical.com
1-888-GO-RICCA
customerservice@riccachemical.com

## **Product Specification**

Nickel ICP, 25 ppm in HNO3

Lutetium (Lu)

Magnesium (Mg)

N/A

N/A

Lot Number: SAMPLE Product Number: RPNI25N0

Manufacture Date: N/A

Recommended Retest Date: N/A

Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Nitric Acid	7697-37-2	Trace Metals	
Nickel	7440-02-0	High Purity	

Test	Specification	Result	NIST SRM#
Appearance	colorless to light green	N/A	
Assay (vs. EDTA/Murexide)	24.8-25.2 ppm Ni	N/A	915

I=Spectral Interference N=Not Tested

	Tra	ace Elements by All values reporte	d in mg/L (ppm)	I=Spectral I	nterfere
Aluminum (Al)	N/A	Manganese (Mn)	N/A	Tungsten (W)	N/A
Antimony (Sb)	N/A	Mercury (Hg)	N/A	Uranium (U)	N/A
Arsenic (As)	N/A	Molybdenum (Mo)	N/A	Vanadium (V)	N/A
Barium (Ba)	N/A	Neodymium (Nd)	N/A	Ytterbium (Yb)	N/A
Beryllium (Be)	N/A	Niobium (Nb)	N/A	Yttrium (Y)	N/A
Bismuth (Bi)	N/A	Osmium (Os)	N/A	Zinc (Zn)	N/A
Boron (B)	N/A	Palladium (Pd)	N/A	Zirconium (Zr)	N/A
Cadmium (Cd)	N/A	Phosphorus (P)	N/A		
Calcium (Ca)	N/A	Platinum (Pt)	N/A		
Cerium (Ce)	N/A	Potassium (K)	N/A		
Cesium (Cs)	N/A	Praseodymium (Pr)	N/A		
Chromium (Cr)	N/A	Rhenium (Re)	N/A		
Cobalt (Co)	N/A	Rhodium (Rh)	N/A		
Copper (Cu)	N/A	Rubidium (Rb)	N/A		
Dysprosium (Dy)	N/A	Ruthenium (Ru)	N/A		
Erbium (Er)	N/A	Samarium (Sm)	N/A		
Europium (Eu)	N/A	Scandium (Sc)	N/A		
Gadolinium (Gd)	N/A	Selenium (Se)	N/A		
Gallium (Ga)	N/A	Silicon (Si)	N/A		
Germanium (Ge)	N/A	Silver (Ag)	N/A		
Gold (Au)	N/A	Sodium (Na)	N/A		
Hafnium (Hf)	N/A	Strontium (Sr)	N/A		
Holmium (Ho)	N/A	Sulfur (S)	N/A		
Indium (In)	N/A	Tantalum (Ta)	N/A		
Iridium (Ir)	N/A	Tellurium (Te)	N/A		
Iron (Fe)	N/A	Terbium (Tb)	N/A		
Lanthanum (La)	N/A	Thallium (Tl)	N/A		
Lead (Pb)	N/A	Thorium (Th)	N/A		
Lithium (Li)	N/A	Thulium (Tm)	N/A		

Tin (Sn)

Titanium (Ti)

Version: 1.4 Lot Number: SAMPLE Product Number: RPNI25N0 Page 1 of 2

N/A

N/A

This standard is guaranteed to be stable and accurate provided the product is kept tightly capped and stored under normal laboratory conditions. Balances are calibrated using NIST traceable weights whose verification of maintenance and recalibration is documented per in-house Standard Operating Procedures. Class A glassware is also calibrated and routinely rechecked per in-house Standard Operating Procedures. Trace metal analyzed acids and Trace Metals Analyzed Water are used in the manufacture of this product. Triple cleaned containers are used in the manufacture of this product.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
RPNI25N0-1N	1 L natural poly	18 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

Version: 1.4 Lot Number: SAMPLE Product Number: RPNI25N0 Page 2 of 2